

CATALOGUE
FOR 1851,
OF A FINE COLLECTION OF
FLORICULTURAL
VEGETABLE, AND AGRICULTURAL
SEEDS,

COMPRISING, IN ALL, UPWARDS OF
1800 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF
German Asters, Stocks, Zinnias, Hollyhocks,
&c. &c. (Page 4);
**besides a numerous List of other established
favourites, and many new and rare Seeds.**

*In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the
numbers without the names; but as the numbers are changed every year,
it is absolutely necessary to say from the Catalogue for 1851.*

*See Page 4, German Assortments, and Pages 5 to 27, Miscellaneous Flower Seeds,
all of which are numbered. See also extract Page 27.*

THE
LIST OF VEGETABLE SEEDS
WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF
JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.

. The German Seeds are from the usual source.

Jan. 1, 1851.

[Entered at Stationers' Hall.]

Gift of
Earl Blough
November 1957

THE NECESSARY EXPLANATIONS

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness.*

h. hardy—plants for the open borders.
hh. half-hardy—such as require a hot-bed.
t. tender—pot plants, require shifting.
f. frame—require protection till May.
g. greenhouse—greenhouse plants.
s. stove or hothouse—stove plants.

Duration.
A. annual—last one year.
B. biennial—last two years.
P. herbaceous perennial—last three or more.
S. shrub, or under-shrub.
Pb. perennial bulb or tuber.
T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flesh. flesh.	pch. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	var. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnaoua.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. y. blue, white and yellow; l. r. light red, &c. &c.

5th Column.—*Usual height of the plant in feet*; trai. trailer.

7th Column.—*Usual month of flowering*: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; sp. species, var. variety.

The dots | ... | ... | ... | ... | indicate a repetition; pl. pluria, many; ex. from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

a. Stamens (male organs) equal.		c. Stamens united in sets.	
Classes.	No. 1. Monandria . . . 1 stamen	16. Monadelphia, 1 set	
	2. Diandria . . . 2 stamens	17. Diadelphia, 2 sets	
	3. Triandria . . . 3 „	18. Polyadelphia, many sets	
	4. Tetrandria . . . 4 „	d. Compound Flowers (Asters, &c.).	
	5. Pentandria . . . 5 „	19. Syngenesia	
	6. Hexandria . . . 6 „	e. Stamens on the style.	
	7. Heptandria . . . 7 „	20. Gynandria	
	8. Octandria . . . 8 „	f. Male and female separated.	
	9. Enneandria . . . 9 „	21. Monœcia, on one plant	
	10. Decandria . . . 10 „	22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
	13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
	b. Stamens unequal.	24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
	14. Didynamia, 2 long, 2 short		
	15. Tetradynamia, 4 „ 2 „		

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

- | | |
|-------------------|------------|
| No. 25. Monogýnia | . 1 style |
| 26. Digýnia | . 2 styles |
| 27. Di-pentagýnia | 2 to 5 " |
| 28. Trigýnia | . 3 " |
| 29. Tetragýnia | . 4 " |
| 30. Pentagýnia | . 5 " |
| 31. Hexagýnia | . 6 " |
| 32. Heptagýnia | . 7 " |
| 33. Decagýnia | . 10 " |
| 34. Dodecagýnia | . 12 " |
| 35. Polygýnia | many " |
- b. On the Stamens (male organs).
- | | |
|-----------------|-------------|
| 36. Monan'dria | . 1 stamen |
| 37. Diandria | . 2 stamens |
| 38. Triandria | . 3 " |
| 39. Tetrandria | . 4 " |
| 40. Pentandria | . 5 " |
| 41. Hexandria | . 6 " |
| 42. Heptandria | . 7 " |
| 43. Octandria | . 8 " |
| 44. Enneandria | . 9 " |
| 45. Decandria | . 10 " |
| 46. Dodecandria | . 12 " |
| 47. Icosandria | . 20 " |
| 48. Polyandria | many " |

c. On the sets of Stamens.

- No. 49. Monadelphia, 1 set
- d. Styles and stamens united.
50. Gynandria
- e. Male and female separate.
51. Moná'cia, on one plant
52. Dia'cia, on different plants
- f. On the Polygamy.
53. { Polygamia equalis, or
Equal Polygamy
54. { Polygamia superflua
Superfluous Polygamy
55. { Polygamia frustranea
Frustrated Polygamy
56. { Polygamia necessaria
Necessary Polygamy
57. { Polygamia segregata
Separated Polygamy
- g. On the Seeds.
58. { Gymnosper'mia
Naked seeds
59. Angiosper'mia, in a capsule
- h. On the Pods.
60. Siliculòsa, a small pod
61. Siliquòsa, a long pod.

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

- | | | | |
|-------------------|--------------------|--------------------|----------------------|
| 62. Acanthaceæ | 85. Cucurbitaceæ | 108. Loasaceæ | 131. Ranunculaceæ |
| 63. Amaranthaceæ | 86. Dioscoreaceæ | 109. Lobeliaceæ | 132. Rescdaceæ |
| 64. Amaryllidaceæ | 87. Dipsacæ | 110. Lythraceæ | 133. Rosaceæ |
| 65. Apocynaceæ | 88. Epacridaceæ | 111. Magnoliaceæ | 134. Rutaceæ |
| 66. Araliaceæ | 89. Ericaceæ | 112. Malvaceæ | 135. Sapindaceæ |
| 67. Asclepiadaceæ | 90. Escalloniaceæ | 113. Marantaceæ | 136. Scitamineæ |
| 68. Balsaminaceæ | 91. Euphorbiaceæ | 114. Melanthaceæ | 137. Scrophulariaceæ |
| 69. Begoniaceæ | 92. Eufcoldeæ | 115. Myrsinaceæ | 138. Selaginaceæ |
| 70. Berberidaceæ | 93. Francoaceæ | 116. Myrtaceæ | 139. Sesameæ |
| 71. Bignoniaceæ | 94. Fumariaceæ | 117. Musaceæ | 140. Silenaceæ |
| 72. Boraginaceæ | 95. Gentianaceæ | 118. Nyctaginæ | 141. Solanaceæ |
| 73. Caetaceæ | 96. Geraniaceæ | 119. Nymphaeaceæ | 142. Stellatæ |
| 74. Campanulaceæ | 97. Gesneraceæ | 120. Onagrariceæ | 143. Sterculiaceæ |
| 75. Capparidaceæ | 98. Gramineæ | 121. Papaveraceæ | 144. Thymelaceæ |
| 76. Caprifoliaceæ | 99. Hydrophyllaceæ | 122. Passifloraceæ | 145. Tremadaceæ |
| 77. Cimchonaceæ | 100. Hypericaceæ | 123. Pittosporaceæ | 146. Tropaeolaceæ |
| 78. Cistaceæ | 101. Iridaceæ | 124. Plumbaginaceæ | 147. Tulipaceæ |
| 79. Cobreaceæ | 102. Jasminaceæ | 125. Polemoniaceæ | 148. Umbellifereæ |
| 80. Commelinaceæ | 103. Labiataæ | 126. Polygalaceæ | 149. Valerianaceæ |
| 81. Compositæ | 104. Leguminosæ | 127. Polygonaceæ | 150. Verbenaceæ |
| 82. Convolvulaceæ | 105. Liliaceæ | 128. Portulacæ | 151. Violaceæ |
| 83. Crassulaceæ | 106. Limnanthaceæ | 129. Primulaceæ | 152. Zygophyllaceæ |
| 84. Crucifereæ | 107. Linaceæ | 130. Proteaceæ | |

Additional Natural Orders.

- | | | | |
|--------------------|---------------------|-------------------|-----------------|
| 153. Oxalidaceæ. | 155. Phytolaccaceæ. | 157. Coniferaæ. | 159. Oleinaceæ. |
| 154. Melastomaceæ. | 156. Selaginaceæ. | 158. Dilleniaceæ. | 160. Rhannaceæ. |

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in A only are not, as COMPOSITÆ, compound flowers; CRUCIFEREÆ, cross-shaped; LABIATÆ, lip-flowered, &c.

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.

		ASSORTMENTS.				<i>s. d.</i>
No.						
1	24 splendid varieties of German Aster, separate, <i>hh.A.</i>				5 6
2	24 do. do. do. do.	<i>smaller packets</i>				3 0
3	12 do. do. do. do.					3 0
4	12 do. do. do. do.	<i>smaller packets</i>				1 6
5	8 superb new flat-flowered do. do.					2 0
6	8 do. do. do. do.	<i>smaller packets</i>				1 0
7	12 new Pyramidal do. do.					3 0
8	12 do. do. do. do.	<i>smaller packets</i>				1 6
9	12 new Globe do. do.					3 0
10	12 do. do. do. do.	<i>smaller packets</i>				1 6
11	68 splendid German Aster, comprising all the above				16 0
12	68 do. do. do. do.	<i>smaller packets</i>				8 0
13	20 beautiful new dwarf German Aster, separate				5 0
14	20 do. do. do. do.	<i>smaller packets</i>				2 6
15	10 do. do. do. do.					2 6
16	10 do. do. do. do.	<i>smaller packets</i>				1 6
17	24 extra fine dwarf German Stock, separate, <i>hh.A.</i>				6 6
18	24 do. do. do. do.	<i>smaller packets</i>				3 6
19	12 do. do. do. do.					4 0
20	12 do. do. do. do.	<i>smaller packets</i>				2 0
21	12 do. branching do. do.					3 0
22	12 do. do. do. do.	<i>smaller packets</i>				1 6
23	12 do. wallflower-leaved do. do.					3 0
24	12 do. do. do. do.	<i>smaller packets</i>				1 6
25	60 extra fine German Stock, comprising the above				15 0
26	60 do. do. do. do.	<i>smaller packets</i>				7 6
27	12 finest new Antirrhinum or Snapdragon, <i>hPt.</i>				2 6
28	20 beautiful double Balsam, <i>t.A., hh.A. or greenhouse.</i>				4 0
29	10 do. do.					2 6
30	50 finest Carnation, 5 of each, <i>fP.</i>				12 0
31	10 Cock'scomb, <i>ta</i>				3 6
32	8 finest Elichrysium or Xeranthemum, <i>hh.A.</i>				2 0
33	30 extra fine double Hollyhock, <i>hP.</i>				4 6
34	15 do. do.					2 6
35	12 finest double dwarf Rocket Larkspur, <i>h.A.</i>				2 6
36	12 do. do. tall do. <i>h.A.</i>				2 6
37	12 finest varieties of Marigold, <i>hh.A.</i>				3 0
38	12 beautiful new Petunia, <i>hhPt.</i>				3 6
39	12 extra fine new varieties of <i>Phlox Drummondii</i> , <i>hh.A.</i>				5 0
40	16 extra fine double Poppy, <i>h.A.</i>				3 0
41	8 do. do.					1 6
42	12 beautiful Salpiglossis, <i>hh.A.</i>				3 6
43	12 splendid new Scabious, <i>h.A.</i>				3 0
44	12 finest biennial Stock, <i>hh.B.</i>				3 0
45	12 do. do.	<i>smaller packets</i>				1 6
46	12 superb new Wallflower, <i>hP.</i>				5 0
47	12 do. do.	<i>smaller packets</i>				2 6
48	24 splendid <i>Zinnia elegans</i> , <i>hh.A.</i>				8 0
49	12 do. do.					4 0
 <i>Additional Assortments.</i>						
50	24 finest new Intermediate or Nosegay Stock, <i>hh.A.</i>				7 0
51	24 do. do. do. do.	<i>smaller packets</i>				3 6
52	12 splendid new Camellia-flowered double Balsam, <i>t.A.</i>				2 6
53	<i>A choice selection from the above Assortments</i>				40 0
54	<i>A smaller do. do. do.</i>				20 0

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 74, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulacææ*, plants with Bell-shaped Flowers. See page 7.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1851. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 86. () That the word is not literally translated, or is superadded.

THE ACCENTS.

à, è, ì, ò, ù, ý, as in Acà-cia, Gardè-nia, Lupì-nus, Cà-phea, Hy-acinth.

á, é, í, ó, and ý, as in Itál-ica, él-egans, bíe-olor, Ne-móph-ila (u similarly placed is long, as in lúcida).

No.	Scientific Name.	Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
55	Acácia cáfra		16 44	104	gS	yl.w	feet 10	s.d. 5-7	6
56	falciformis		y.	6	...	6
57	pinifolia		4	...	6
58	pulchella		6
59	speciosa		p.	10	8-10	1 0
60	verticillata		y.	...	4-6	6
61	— — —		div.	div.	...	3 0
62	— — —		w&y	1 0
63	— — —		y & p	1 0
64	Achimènes		14 59	97	sP	b.	1	6-9	1 0
65	Aconitum chinense		13 28	131	hP†	div.	3	8-9	3
66	Æthionema persica		15 61	84	...	pk.	2	6-8	3
67	Agapanthus albiflorus		6 25	105	gPb	w.	2½	5-8	1 0
68	Ageratum mexicanum		19 53	81	hA	b.	2	7-8	3
69	odoratum		3
70	Agrostis elegans*		3 26	98	3
71	Aloe ferox		6 25	105	gS	ap.	1	5-7	1 0
72	Alonsoa grandiflora		14 59	137	hP†	s.	1½	6-9	6
73	incisifolia		o.s.	6
74	Alstromeria anrautiacca		6 25	64	gPb	o.	2½	...	3
75	Pelegrina		stri.	1½	...	6
76	pulchella		s.	6
77	tricolor		3col.	6
78	— — —		div.	2	...	6
79	— — —		div.	2 0
80	— — —		6
81	Alyssum saxatile		15 60	84	hP†	y.	1	5-7	3
82	Amaranthus tricolor		21 40	63	tA	3col.	...	7-8	3
83	Amelitysea carulea		2 25	103	hA	b.	1½	...	3
84	Anagallis fruticosa		5	129	gB†	s.	...	6-9	6
85	grandiflora carulea		gP†	b.	1	...	6
86	— lilacina		li.	6
87	— Parksii		r.	6
88	— rosea		ro.	6
89	— speciosa		r.	6
90	— superba		s.	6
91	— — —		div.	2 0
92	— — —		1 0
93	Anchusa arvalis		...	72	hA	b.	1½	6-7	3
94	ochroleuca italica		hP†	p.	...	6-8	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
95	Anchusa sempervirens	evergreen	5	25	72	hP+	b.	2½	6-8	3
96	Anemone coronaria	(Poppy Anemone)	13	35	131	hPb	div.	1	4-6	6
97	Hudsoniana	(Hudson's Bay)	hP	w.	...	5-7	6
98	hortensis	(star-flowered)	hPb	6
99	Pulsatilla	(Pasque-flower)	hP	v.	1½	4-5	6
100	sulphurea	sulphur	sul.	6
101	Anoda Dilleniana	(Blue Hibiscus)	16	48	112	hA	b.	2	7-8	3
102	Anomatheca cruenta	blood-red	3	25	101	fPb	r.	1	6-8	3
103	Antirrhinum Majus, album	white	14	59	137	hP+	w.	2	6-9	3
104	— caryophylloides	Carnation-like	stri.	3
105	— coccineum	scarlet	s.	3
106	— eximium	choice	var.	3
107	— flavum	yellow	y.	3
108	— kermesinum	crimson	cr.	3
109	— pictum	painted	s & y	3
110	— — —	Nos. 103 to 109	div.	1 6
111	— — —	splendid mixed	6
112	Aquilegia alpina	alpine	13	30	131	...	b.	1	5-7	3
113	canadense	Canadian	r & o	1½	...	3
114	— elatior	taller	r & y	2	...	3
115	formosa	beautiful	r & o	1½	...	6
116	fragrans	fragrant	stri.	6
117	glandulosa	glandular	b&w	6
118	Skinneri	Skinner's	r & g	3
119	speciosa	showy	b.	3
120	Wittmauni	Wittmann's	3
121	— — —	6 finest sorts	div.	2 0
122	— — —	40 new vars. mixed	1 0
123	Araucaria imbricata	imbricated	22	51	157	hT	ap.	150	...	1 0
124	Arduina bispinosa	two-spined	5	25	65	gS	w.	2	4-8	1 0
125	grandiflora	large-flowered	1 0
126	Argemone grandiflora	large-flowered	13	...	121	hP+	7-8	6
127	mexicana	Mexican	hA	y.	3
128	Aristea cyanea	sky-blue	3	...	101	gP	b.	1	5-7	1 0
129	Armèria formosa	beautiful	5	30	124	hP+	pk.	...	7-8	6
130	Asclepias curassavica	Curassao	...	26	67	sP	s.	2½	...	6
131	tuberosa	tuberous	hPb	o.	2	...	6
132	Aster tenellus*	slender	19	54	81	hB+	b.	¾	...	3
133	Athanasia annua	annual	...	53	...	hA	y.	1½	...	3
134	Atragene capensis	Cape (Anemone)	13	35	131	gP	p.	1½	...	1 0
135	austriaca**	Austrian	hP	br&y	8	...	6
136	Azalea	finest mixed	5	25	89	hS	div.	3	5-7	6
137	Balsamina latifolia	broad-leaved	...	30	68	gA	r.	1½	6-9	6
138	Banksia	Australian species	4	25	130	gS	y.	8	6-8	1 0
139	Baptisia australis	southern	10	...	104	hP	b.	2	7-8	3
140	perfoliata	perfoliated	gP	y.	3	...	6
141	Bartonia aurea	golden	13	...	108	hA	...	2	...	3
142	Begonia zinnabarina	vermillion	21	48	69	sPb	ver.	4	6-8	1 0
143	Bellis perennis, fl. pl.	(double Daisy, 60 v.)	19	54	81	hP+	div.	⅓	4-7	1 0
144	Bignonia	fine species	14	59	71	hS	w.	10	7-9	6
145	radicans grandiflora**	large-flowered	o.	20	...	6
146	Blumenbachia insignis	beautiful	18	48	108	hA	w.	1	7-8	3
147	Bossia'a heterophylla	various-leaved	16	45	104	gS	y.	4	5-9	6
148	rufa	rufous	o.	...	6-9	6
149	Brachycome iberidifolia	iberis-leaved	19	54	81	hHA	b.	1½	6-8	6
150	— alba	white	w.	6
151	— — —	finest mixed	div.	6
152	Browallia elata	(tall 2 var.)	14	59	137	gA	b&w	2	...	6
153	Brugmansia bicolor	two-coloured	5	25	141	gS	y & s	6	6-9	1 0
154	Bulbine floribunda	bunch-flowered	6	...	105	gPb	y & g	1	8-9	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
155	Burchellia capensis	Cape	5	25	77	sS	s.	4	3-5	1	0					
156	Bursaria spinosa	spiny	123	gS	w.	8	7-12	6						
157	Cacalia coccinea	scarlet	19	53	81	hhA	s.	...	7-8	3						
158	— aurea	yellow	y.	3						
159	Cactus	finest mixed	12	25	73	sS	div.	div.	div.	1	0					
160	Calanopelis scabra**	rough (podded)	14	59	71	hhP	o.	6	6-9	6						
161	— miniata**	carmine	car.	6						
162	Calandrinia elegans	elegant	11	25	128	hhA	ro.	1 $\frac{1}{2}$	7-8	6						
163	grandiflora	large-flowered	p.	3						
164	Lindleyana	Prof. Lindley's	cr.	3 $\frac{3}{4}$...	3						
165	speciosa	showy	p.	3						
166	umbellata	umbelled	hhP†	...	4	...	6						
167	— — —	Nos. 162 to 166	A & P	div.	div.	...	1	6					
168	Calceolaria pinuata	pinnated	2	...	137	hhA	y.	1 $\frac{1}{2}$...	6						
169	— — —	splendid spotted	gP	div.	2	6-8	1	0					
170	— — —	shrubby	hhS	y.	1 $\frac{1}{2}$...	6						
171	— — —	from the Andes	hhP	p.	6						
172	Callichroa platyglossa	(broad-rayed)	19	56	81	hA	y.	1	7-8	3						
173	Calliopsis (Corcopsis)	splendid mixed	...	55	div.	2	...	6						
174	— bicolor	two-coloured	y & r	3						
175	— — atrosanguinea	dark red	d. r.	3						
176	— — grandiflora	large-flowered	y & r	6						
177	— — marmorata	marbled (new)	var.	3						
178	— — nigra speciosa	showy (dark)	d. r.	3						
179	Drummondii	Drummond's	y & br	1	...	0						
180	— — —	Nos. 173 to 179	div.	1 & 2	...	2	0					
181	Atkinsoniana	Atkinson's	hP	y & br	3	...	3						
182	Callistachys ovata	ovate	10	25	104	gS	y.	4	6-8	6						
183	Campánula carpatica	Carpathian, 2 var.	5	...	74	hP†	w & b	1 $\frac{1}{2}$	7-8	6						
184	grandiflora	large-flowered	b.	1	...	3						
185	grandis	grand	l. b.	2	...	3						
186	latifolia alba	white broad-ld.	w.	3						
187	puleherrina	beautiful	b.	1	...	3						
188	pumila	dwarf	p.	1 $\frac{1}{2}$...	6						
189	pyramidalis	pyramidal	hhP	b.	3	...	3						
190	— alba	white do.	w.	3						
191	sibirica	Siberian	hB†	b.	1	...	3						
192	stricta	strict	1 $\frac{1}{2}$...	3						
193	nobilis	noble	hP†	6						
194	Trachelium alba pléna	double white	w.	2 $\frac{1}{2}$...	3						
195	— — —	6 finest sorts	B & P	div.	div.	...	1	6					
196	— — —	fine mixed	6						
197	Lorei	Lore's	hA	p.	1	...	3						
198	— alba	white	w.	3						
199	— — —	mixed	w & p	3						
200	pentagonia*	blue	b.	3						
201	— alba*	white	w.	3						
202	Canna aurantiaca	orange	1	...	113	sP†	o.	4	1-12	6						
203	floribunda	bunch-flowered	r.	6						
204	gigantea	gigantic	r & y	6	...	6						
205	indica	Indian (Shot)	div.	2	...	6						
206	lutea	yellow	y.	6						
207	picta	painted	r & y	3	...	6						
208	speciosa	showy	r.	...	7-9	6						
209	spectabilis	grand	s.	4	...	6						
210	— — —	6 finest sorts	div.	div.	div.	2	6					
211	— — —	fine mixed	6						
212	Capparis spinosa	(Caper Tree)	13	...	75	gS	w.	3	5-7	6						
213	Catananche lutea	yellow	19	53	81	hA	y.	1	7-8	3						
214	cærulea	blue	hP†	b.	2	...	3						

A— indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet	s. d.	
215	Catanauche cærulea bicolor	two-coloured	19	53	81	hP+	w&b	2	7-8	3	
216	Celsia crética	Cretan	14	59	137	hB+	y.	3	...	3	
217	— — —	fine mixed	div.	1	...	6	
218	Centaurea americana	(Plectocephalus)	19	55	81	gA	r.	2½	8-10	6	
219	depressa*	dwarf	b.	1	7-8	3	
220	orientalis	oriental, 2 var.	hP+	r & y	1½	...	3	
221	— — —	mixed perennial	div.	3	
222	Centranthus macrosiphon	long-tubed	1	25	149	hhA	r.	¾	...	3	
223	Chænostoma polyanthum	many-flowered	14	59	137	...	li.	6	
224	fastigiatum*	bunch-flowered	r.	6	
225	Chelone barbata	bearded (scarlet)	hP+	s.	2	...	6	
226	mexicana	Mexican	ro.	6	
227	Chironia frutescens	frutescent	5	25	95	gS	r.	1½	6-8	6	
228	Chorozenia	3 fine species	10	...	104	...	div.	2½	...	10	
229	Chrysanthemum indicum	(Winter-flowering)	19	54	81	hP	...	3	9-12	10	
230	Cineraria cruenta, pl. var.	(splendid mixed)	gS	...	2	5-7	10	
231	Cistus	finest mixed, 6 var.	13	25	78	fP	w&p	...	6-7	6	
232	Cladanthus arabicus	Arabian	19	54	81	hA	y.	1	7-8	3	
233	Clarkia nerifolia	Oleander-leaved	8	25	120	...	li. p.	3	
234	— elegans	elegant	li.	1½	...	3	
235	— flore pleno	double-flowered	3	
236	— rosea	rose	ro.	3	
237	— — —	fine mixed	r. & li.	3	
238	— — —	Nos. 233 to 236	10	
239	— pulchella	pretty	ro.	1½	...	3	
240	— alba	white	w.	3	
241	— alba grandiflora	large-flowered white	6	
242	— rubra —	do. red	r.	3	
243	— — —	Nos. 239 to 242	div.	10	
244	Claytonia perfoliata	perfoliate	5	...	128	...	w.	½	...	3	
245	Clématis**	8 fine sp. mixed	13	35	131	hS	w&p	10	6-9	10	
246	Cleome speciosissima	most showy	15	61	75	hhA	r.	2	7-8	6	
247	— — —	fine mixed	w&ro	6	
248	Clerodendrum fallax sup.	superb	14	59	150	sS	s.	6	8-10	10	
249	Clianthus puniceus	crimson	17	45	104	hS	er.	6	
250	Clintonia elegans	elegant	16	40	109	hhA	b.	1½	7-8	3	
251	— pulchella*	(beautiful)	3eol.	1	...	6	
252	— alba	white (new)	w.	10	
253	Clitorea Ternatea**	(sky-blue)	17	45	104	sS	b.	4	...	10	
254	Cobaea scandens**	climbing	5	25	79	gS	p.	30	6-9	6	
255	— stipularis**	stipulate	y.	6	
256	Collinsia grandiflora*	large-flowered	14	59	137	hA	pk&b	1	7-8	3	
257	— bicolor*	two-coloured	pk & w	3	
258	— atropurpurea*	dark red	r & w	3	
259	— heterophylla	various-leaved	p&w	3	
260	— verna*	vernal	p & b	3	
261	— — —	Nos. 256 to 260	div.	10	
262	Coehlearia acaulis	stemless	15	84	60	hP+	li.	¾	1-6	6	
263	Collomia coccinea*	scarlet	5	25	125	hA	s.	1	7-8	3	
264	Commelina celestis	blue	3	...	80	fPb	b.	1½	...	6	
265	— alba	white	w.	6	
266	Correa ventricosa	(large-flowered)	8	...	134	gS	s.	3	...	10	
267	Corydalis glauca	glaucous	17	41	94	hA	y & p	2	...	3	
268	Cosmanthus finbratus	fringed	5	25	99	hhA	flsh.	¾	...	6	
269	Cosmea bipinnata	bipinnate	19	55	81	...	p.	2	7-9	3	
270	— grandiflora	large-flowered	6	
271	Cosmudium filiforme	thread-formed	w.	...	7-8	6	
272	Crœus vernus	vernal	3	25	101	hPb	div.	¾	3-4	6	
273	Crotalaria elegans	elegant	16	45	104	gS	y.	3	6-8	10	
274	Crucianella stylosa	long-styled	4	25	142	hP+	pk.	1	...	3	

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
275	<i>Cucumis flexuosa</i>	(Snake Melon) extra	21	49	85	fA	y.	feet	6-8	s. d.
276	<i>Cappaea miniata</i>	carmine	11	25	110	hhS ⁺	ver.	2	7-8	6
277	<i>platycentra</i>	broad-centred	hhA	s & w	1½	...	6
278	<i>purpurea</i>	purple	p.	2	...	6
279	<i>silcnoides</i>	Silene-like	blh.	1½	...	6
280	<i>strigillösa</i>	strigillose	s & y.	6
281	— — —	Nos. 276 to 280	A & S	div.	...	2	0
282	<i>Cyclamen europæum</i>	European	5	...	129	hPb	r & w	½	...	6
283	<i>persicum</i>	Persian	fPb	r.	...	3-5	6
284	— — —	fine mixed	div.	...	3-8	1
285	<i>Cytisus alpinus</i>	Scotch Laburnum	16	45	104	hT	y.	30	5-6	3
286	<i>Laburnum</i>	English Laburnum	15	...	3
287	<i>racemosus</i>	bunch-flowered	hS	...	3	5-7	3
288	<i>sempervirens</i>	evergreen	3
289	— — —	fine mixed	6
290	<i>Dahlia repens</i>	ereeping	19	54	81	hhPb	p.	1	7-8	6
291	<i>superflua (variabilis)</i>	(fine double)	div.	3-4	7-9	6
292	<i>Datura ceratocaula</i>	horn-stalked (fine)	5	25	141	hhA	w & ro	3	7-8	3
293	<i>fastuosa flore pleno</i>	double showy	p.	2	...	3
294	— alba flore pleno	double white do.	w.	3
295	<i>Daubentonia Tripetiana</i>	Tripet's	17	45	104	gS	s & o	6	...	6
296	<i>Daviesia nlicina</i>	Ulex-leaved	10	25	y.	3	5-8	6
297	<i>Delphinium azureum</i>	azure	13	28	131	hP+	b.	2	7-8	3
298	<i>chincuse</i>	Chinese	1	...	3
299	— album	white do.	w.	3
300	— — —	mixed do., extra	div.	6
301	<i>grandiflorum</i>	large-flowered	b.	3
302	<i>lazulinum</i>	lazuline	2	...	3
303	<i>ochroleucum</i>	pale yellow	yl.	3
304	<i>pictum</i>	painted	var.	3
305	<i>punicum</i>	crimson	cr.	6
306	<i>speciosum</i>	showy	b.	3
307	<i>splendidum</i>	splendid	6
308	<i>tricolor</i>	three-coloured	3col.	6
309	— — —	6 finest sorts	div.	1&2	...	1
310	— — —	finest mixed	6
311	<i>Dianthus atrorubens fl. pl.</i>	dou. dark red (Pink)	10	26	140	...	d. r.	1	6-8	6
312	— violaceus	violet	v.	3
313	<i>barbatus</i>	(Sweet William) mix.	hP	div.	1½	...	6
314	— coccineus	— scarlet	s.	3
315	— flore pleno	— double-flowered	div.	6
316	<i>Caryophyllus</i>	(Carnation) single	2	...	3
317	— flore pleno	(double mixed)	hhP	1
318	— — bicolor striatus	(— Flakes)	2
319	— — variegatus	(— Bizarres)	2
320	— — albo-punctatus	(— white Picotees)	2
321	— — luteo-punctatus	(— yellow do.)	2
322	— — —	Nos. 316 to 321	10	0
323	— — —	fine d. m. Carnation	2
324	— — —	fine d. m. Picotee	2
325	<i>Carthusianorum</i>	Carthusians'	hP+	r.	1½	...	6
326	<i>caucasicus</i>	Caucasian	p.	1	...	3
327	<i>chinensis*</i>	(Indian Pink) 20 v.	hB+	div.	6
328	— flore pleno*	— fine double	6
329	— — albus*	— double white	w.	6
330	— hybridus*	— hybrid	div.	6
331	— — —	Nos. 327 to 330	1
332	<i>deltoides*</i>	(Maiden)	r.	3
333	— albus*	— white	w.	3
334	<i>gigantens</i>	gigantie	r.	2	...	3

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		Li.	Li.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. o Flow	Price.
No.							feet		s. d.
335	<i>Dianthus hispānicus*</i>	Spanish	10 26	140	hP†	div.	1	6-8	3
336	— splendens*	splendid	s.	6
337	— imperialis*	imperial	hB†	div.	6
338	— japonicus*	Japan	hP†	s.	6
339	— latifolius*	broad-leaved	hB†	div.	3
340	— moschatūs*	(Pink, single)	hP	w&p	3
341	— flore plēno*	— double	1 0	6
342	— pulchellus*	pretty	hP†	div.	6
343	— superbus	superb	li.	1½	...	3
344	— — —	6 finest sorts	B & P	div.	1	2 0	6
345	<i>Didiscus cæruleus</i>	blue	5 25	148	hhA	b.	2	...	6
346	<i>Digitālis aurea</i>	golden	14 59	137	hP†	y.	1½	7-9	3
347	— ferruginea	ferruginous	bff.	3
348	— grandiflora	large-flowered	y.	3
349	— purpurea	purple	hP	p.	3	...	3
350	— alba	white	w.	3
351	— bicornūta	two-horned	3
352	— punctata	spotted	spot.	3
353	— rosea	rose	ro.	3
354	— — —	6 finest sorts	div.	div.	1 6	6
355	<i>Dillwy'nia ericoides</i>	Eriea-like	10 25	104	gS	y.	2	3-7	6
356	<i>Diosma (Coleonema) alba</i>	white	5	134	...	w.	6
357	— pulchra	beautiful	ro.	5	4-7	1 0
358	— virgata	twiggy	w.	1	3-7	6
359	— — —	Nos. 356 to 358	w&ro	div.	...	1 6
360	<i>Dodcætheon Meadia</i>	Meadia	...	129	hP	p.	1	6-8	6
361	<i>Dolichos lignosus**</i>	lignous	17 45	104	gS	...	12	...	6
362	<i>Edwardsia grandiflora</i>	large-flowered	10 25	y.	10	5-7	1 0
363	<i>Elichrysūm nivale</i>	snow-white	19 54	81	hhA	w.	2	7-8	6
364	— macranthum	large-flowered	pk.	3
365	— album plēnum	double white	w.	6
366	— flavum plēnum	double yellow	y.	6
367	— regium bicolor, pl.	dou. white and yellow	w&y	6
368	— — —	Nos. 363 to 367	div.	...	2 0	6
369	— — —	finest mixed	6
370	— fulgidum	bright	gS	y.	...	5-7	6
371	— sesamoides	Sesomum-like	p&w	...	4-6	1 0
372	— speciosissimum	most showy	w.	6	7-9	1 0
373	<i>Stachelina</i>	Stachelino	1½	1-12	6
374	— — —	Nos. 370 to 373	div.	div.	div.	2 6
375	— — —	mixed Greenhouse sp.	1 0
376	<i>Elsholtzia cristata</i>	crested	14 58	103	hA	pk.	1	7-8	3
377	<i>Epacris</i>	splendid mixed	5 25	88	gS	div.	div.	div.	2 6
378	<i>Eragrostis elegans*</i>	elegant	3 26	98	ha	ap.	1	7-8	6
379	<i>Eremurus spectabilis</i>	showy	6 25	105	hP	y.	2	5-6	6
380	<i>Erica</i>	10 species named	8	...	89	gS	div.	div.	5 0
381	— — —	finest mixed, 30 sp.	2 6
382	<i>Erinus alpinus</i>	alpine	14 59	137	hP†	li.	¼	4-6	3
383	<i>Erodium moschatum</i>	(Musk Geranium)	16 25	96	hA	p.	1	5-7	6
384	<i>Eryngium giganteum</i>	gigantic	5 26	148	hP	li.	2	7-8	6
385	<i>Erysimum Peroffskianum</i>	Peroffski's	15 61	84	hA	o.	1	6-7	3
386	<i>Erythrina caffra</i>	Caffrarian	17 45	104	gS	s.	6	5-7	1 0
387	— Crista-galli	Cockseomb	15	6-8	1 0
388	<i>Erythronium Dens-Canis</i>	(Dog's-tooth Violet)	6 25	105	hP	p.	¾	3-4	6
389	<i>Eschscholtzia californica</i>	Californion	13 29	121	hA	y.	1¼	7-8	3
390	— compacta	compact	y&o.	1	...	3
391	— crœcea	saffron orange	o.	1¼	...	3
392	— — —	mixed	y&o.	3
393	— — —	Nos. 389 to 392	9
394	<i>Eucharidium concinnum*</i>	neat	8 25	120	...	p.	1	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
395	<i>Eucharidium grandiflorum*</i>	8 25	120	hA	ro.	feet	s. d.	3
396	— — — — —	p & ro	1	7-8	3
397	<i>Euphorbia variegata</i>	11 28	91	hhA	v. lf.	6
398	<i>Eutoca multiflora</i>	5 25	99	hA	lav.	3
399	<i>viscida</i>	b.	3
400	<i>Wrangeliæna</i>	li.	tra.	...	3
401	<i>Fœdia cornucopiæ</i>	2 26	149	...	r.	1	...	3
402	<i>Francœa appendiculata</i>	8 29	93	hB	pk.	2	...	6
403	<i>Fritillaria imperialis</i>	6 25	105	hPb	div.	...	4-6	3
404	<i>miclagris</i>	1	5-6	3
405	<i>Fuchsia</i>	8	120	gS	...	div.	6-9	1 0
406	<i>Galœga orientalis</i>	17 41	104	hP	b.	3	6-8	3
407	<i>Gaillardia bicolor</i>	19 55	81	hP+	y & br	1½	6-9	3
408	<i>picta Drummondii</i>	y & s	6
409	— <i>aurantiaca</i>	o.	6
410	— <i>coccinea</i>	s.	6
411	— <i>coronata</i>	y & s	6
412	— <i>nana</i>	1	...	6
413	— <i>pulchella</i>	var.	1½	...	6
414	— <i>stellata</i>	6
415	<i>Wellsiana</i>	o & s	6
416	<i>Richardsœni</i>	o.	3
417	— — — — —	div.	...	1 6	...
418	<i>Gardœnia Rothmannia</i>	5 25	77	gS	l. y.	8	6-8	1 0
419	<i>Gazania rigens</i>	19 55	81	...	y.	1	5-9	1 0
420	<i>Genista</i>	16 45	104	2	7-8	6
421	<i>Gentiana acaulis</i>	5 26	95	hP+	b.	½	4-7	6
422	<i>hybrida</i>	y & p	2½	5-7	3
423	<i>macrophylla</i>	b.	1	7-8	3
424	<i>Saponaria</i>	2	8-9	3
425	— — — — —	b y p	div.	div.	1 0
426	<i>Geranium</i>	16 42	96	...	div.	1	7-8	6
427	<i>Gesneria</i>	14 59	97	sSb	...	1½	6-9	1 0
428	<i>Gœum coccineum</i>	12 35	133	hP+	s.	3
429	— <i>atrosanguineum</i>	d. s.	6
430	— <i>splendens fl. pleno</i>	s.	6
431	— <i>superbum</i>	cr. s.	6
432	— — — — —	s.	...	1 6	...
433	— — — — —	6
434	<i>Gilia capitata</i>	5 25	125	hA	b.	...	7-8	3
435	<i>nivâlis</i>	w.	1	...	3
436	<i>tricolor*</i>	3col.	3
437	— <i>albo-cœlestis*</i>	w & b	3
438	— <i>splendens*</i>	ro.	3
439	— — — — —	div.	...	1 0	...
440	— — — — —	3
441	<i>Gladiolus Herbertianus</i>	3	101	fPb	...	2	7-9	1 0
442	— <i>coccineus nânus</i>	s.	1	...	6
443	<i>Gloxinia</i>	14 59	97	sSb	div.	1½	6-9	1 0
444	<i>Gnaphalium fœtidum</i>	19 54	81	fS+	y.	1	6-8	6
445	<i>grandiflorum</i>	gS+	w.	2½	6-9	6
446	— — — — —	div.	div.	...	6
447	<i>Godetia (Enothera)</i>	8 25	120	hA	...	1	7-8	6
448	<i>bifrons</i>	p & c	3
449	<i>insignis</i>	spot.	3
450	<i>Lehmanni</i>	var.	3
451	<i>lœpida</i>	li.	3
452	<i>Lindleyana</i>	w & r	3
453	<i>purpurea</i>	p.	3
454	<i>quadrivulnera</i>	spot.	3

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			Li.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
								feet		s. d.
455	Godetia Romanzovii	Romanzow's	8	25	120	hA	p.	1	7-8	3
456	roseo-alba	rose and white	r & w	3
457	rubicunda	blushing	c.	3
458	tenuifolia	thin-leaved	v.	3
459	viminea	twiggy	li.	3
460	vinosa	(wine-coloured)	p.	3
461	Willdenovii	Willdenow's	3
462	— — —	6 finest sorts	div.	1	6
463	Goodia lotifolia	Lotus-leaved	16	45	104	gS	y.	3	6-7	6
464	pubescens	pubescent	6
465	Grammanthes gentianoides	Gentian-like	5	26	83	hhA	w.	½	7-8	6
466	— flava	yellow	y.	6
467	Grevillea	New Holland species	4	25	130	gS	pk.	6	5-8	6
468	Gypsophila elegans	elegant	10	26	140	hA	w & p	1	7-8	3
469	Hedychium Gardnerianum	Gardner's (fine)	5	25	136	sS	y.	6	6-9	6
470	Helianthemum Douglasii	Douglas's	19	54	81	hA	...	2	7-8	3
471	Helianthemum guttatum	spotted	13	25	78	½	...	3
472	— — —	splendid mixed	hP+	div.	1	6-8	1 0
473	Heliophila araboides*	Arabis-like	15	61	84	hhA	b.	...	7-8	6
474	stricta	strict	6
475	trifida	thrice-cut	6
476	Heliotropium grandiflorum	large-flowered	5	25	72	gS	li.	2	6-8	3
477	peruvianum	Peruvian	3
478	— Voltairianum	Voltaire's	v.	6
479	— — —	Souvenir de Liege	6
480	— — —	Triomphe de Liege	6
481	— — —	fine mixed, 5 var.	div.	1	0
482	Hieracium giganteum	gigantic	...	26	148	hB	w.	8	7-9	3
483	Hibbertia volubilis**	climbing	13	28	158	gS	y.	...	5-9	1 0
484	Hibiscus africanus	African	16	48	112	hA	y & br.	2	7-8	3
485	calisarcus	(beautiful new)	3
486	Humboldtii	Humboldt's	3
487	palustris	marsh (2 var.)	hP+	w & r	3	...	6
488	syriacus	Syrian	hS	div.	6	...	6
489	Cameronii	Cameron's	gS+	ro.	2	...	6
490	immutabilis	unchangeable	r.	6
491	Manihot	Manihot	gP+	y.	6
492	militaris	military	gS	p.	6
493	mutabilis	changeable	w & p	6
494	speciosus	showy	s.	6
495	spicatus	spike-flowering	6
496	— — —	4 finest sorts	div.	1	6
497	— — —	fine mixed	1	0
498	Hieracium speciosum	showy	19	53	81	hP	y.	1½	...	3
499	Hovea Celsi	Cels's	16	45	104	gS	b.	6	6-8	6
500	longifolia	long-leaved	p.	4	6-9	6	6
501	purpurea	purple	6	6-8	6	6
502	Hugelia elongata	lengthened	5	25	125	hA	w.	1½	7-8	6
503	Humea elegans	elegant	19	53	81	hB	r.	5	6-9	6
504	Hyacinthus orientalis	oriental	6	25	105	hPb	div.	1	5-6	6
505	Hypericum elegans	elegant	18	48	100	hP+	y.	1½	6-7	6
506	Iberis Tenoreana	Tenore's	15	60	84	...	p.	1	6-8	6
507	Impatiens glandulifera	glandular	5	25	68	hhA	r.	2½	7-8	3
508	— alba	white	w.	3
509	Incarvillea grandiflora**	large-flowered	14	59	71	gS	o.	20	7-9	6
510	Indigofera Dcsua	Dosua	17	45	104	...	ro.	3	5-7	1 0
511	— — —	fine mixed	div.	6
512	Ipomaea coccinea**	scarlet	5	25	82	gA	s.	10	7-9	6
513	— luteola**	yellowish	bff.	6
514	bona nox**	Good Night!	sA	w.	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
515	<i>Ipomæa Quamoclit</i> **	5	25	82	gA	s.	6	7-9	s. d.
516	— flore-albo**	w.	1 0
517	<i>rubro-cærulea</i> **	b.	10	...	1 0
518	<i>tuberosa</i> **	sPb	y.	1 0
519	<i>tyrianthina</i> **	gPb	p.	1 0
520	<i>sp. ex. Arabia</i> **	gP+	p & y	1 0
521	— — —	div.	div.	4 0
522	— — —	1 0
523	<i>hederacea</i> **	hhA	l. b.	3
524	<i>purpurea cærulea</i> **	d. b.	6
525	<i>kermsina</i> **	cr.	6
526	<i>Nil</i> **	b.	3
527	<i>Ipomopsis elegans</i>	...	125	fB	s.	1½	6-8	...	6
528	— <i>pieta</i>	2	...	6
529	— <i>aurantiæa</i>	o.	6
530	— <i>Beirichii</i>	l. s.	6
531	— <i>superba</i>	s.	6
532	— — —	o & s	...	2	0
533	— — —	6
534	<i>Iris xiphoides</i>	3	...	101	hPb	div.	1½	6-7	6
535	<i>Xiphium</i>	1	...	3
536	<i>Isótoma axillaris</i>	5	...	109	gP+	b.	1½	6-8	6
537	<i>Ixia maculata sulphurea</i>	3	...	101	fPb	y.	1	5-6	6
538	— — —	div.	6
539	<i>Jacksonia</i>	10	...	104	gS	y.	2	5-7	6
540	<i>Jasminum fruticans</i>	102	Sh	...	3	5-9	6
541	<i>Kaulfussia amelloides</i> *	19	54	81	hA	b.	1	7-8	3
542	<i>Kennedia bimaiculata</i> **	17	45	104	gS	spot.	10	5-8	6
543	<i>Comptoniana</i> **	b.	6
544	<i>glabrata</i> **	r.	6
545	<i>macrophylla</i> **	p.	6
546	<i>Marryatta</i> **	s.	...	1	0
547	<i>monophylla</i> **	p.	6
548	<i>rubicunda</i> **	bh.	6
549	— — —	div.	...	2	0
550	— — —	6
551	<i>Lantana Sceloviæna</i>	14	59	150	fP+	r.	1	7-8	6
552	— — —	div.	6
553	<i>Lasthænia californica</i> *	19	54	81	hA	y.	3
554	<i>glabrata</i>	3
555	<i>Lathyrus latifolius</i> **	17	45	104	hP+	r.	8	6-8	3
556	— <i>albus</i> **	w.	3
557	<i>rotundifolius</i>	p.	1½	7-8	6
558	<i>Lavatera Olbia</i>	16	48	112	r&p	3	6-8	...	3
559	<i>Leptosiphon densiflorus</i>	5	25	125	hA	p.	¾	7-8	3
560	— <i>androsæcus</i>	div.	1	...	3
561	— <i>albus</i>	w.	3
562	— <i>lilacinus</i>	li.	3
563	— — —	div.	...	1	0
564	<i>Leptospermum</i>	12	...	116	gS	w.	5	5-8	6
565	<i>Leucadendron argenteum</i>	22	39	130	...	y.	8	8-9	6
566	<i>plumosum</i>	4	7-8	6
567	— — —	div.	...	1	0
568	<i>Leucæria senecioides</i>	19	56	81	hA	w.	1½	...	6
569	<i>Leucospermum tottum</i>	4	25	130	gS	y.	4	...	6
570	— — —	1	0
571	<i>Leycesteria formosa</i>	5	...	76	hP+	w&p	1½	...	6
572	<i>Liätis</i>	19	53	81	hPb	p.	2	...	6
573	<i>Ligularia speciosa</i>	...	56	...	hP+	y.	6
574	<i>Ligustrum peloponnesiænum</i>	2	25	159	hS	w.	8	6-9	6

A— indicates a variety. () That the word is not literally translated, or is superadded.

A — indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
575	<i>Lilium Martagon</i>	(Turk's-Cap Lily)	6	25	105	hPb	div.	2	7-8	3		
576	<i>speciosum</i>	showy (2 var.)	r & w	3	7-9	6		
577	<i>Limnanthes Douglasii</i>	Douglas's	10	...	106	hA	w & y	3	7-8	3		
578	<i>grandiflora</i>	large-flowered	3		
579	<i>Linaria alpina</i>	alpine	14	59	137	P†	b.	1	6-9	3		
580	<i>triornithophora</i>	three-birds-bearing	p.	6		
581	— — —	6 fine species	A & P	div.	1	0	
582	— — —	fine mixed	A	3		
583	<i>Linum flavum</i>	yellow	5	30	107	gS	y.	2	...	1	0	
584	<i>austriacum</i>	Austrian	hP†	b.	1	7-8	3		
585	<i>grandiflorum</i>	large-flowered	3		
586	— album	white	w.	3		
587	<i>perenne</i>	perennial	b.	2	6-7	3		
588	<i>Lisianthus Russellianus</i>	Duke of Bedford's	...	25	95	gA	p.	3	7-9	6		
589	<i>Loasa aurantiaca**</i>	orange	18	48	108	hhP†	o.	8	6-9	3		
590	<i>Herbertii**</i>	Herbert's	3		
591	<i>tricolor</i>	three-coloured	hA	3col.	1½	7-8	3		
592	— — —	fine mixed	div.	8	...	6		
593	<i>Lobelia azurea</i>	azure	5	25	109	hhP†	b.	1½	...	6		
594	<i>decumbens</i>	decumbent	l.b.	1½	...	3		
595	<i>crinoides</i>	Erinus-like	b.	1½	...	3		
596	— compacta	compact	1¼	...	6		
597	— grandiflora	large-flowered	1	...	6		
598	<i>gracilis*</i>	slender	hhA	...	1	...	3		
599	— alba*	white do.	w.	3		
600	<i>heterophylla</i>	various-leaved	hhP†	b.	1½	...	6		
601	— rubra	red do.	r	6		
602	<i>Parmentieri</i>	Parmentier's	fl.	1¼	...	3		
603	<i>propinqua?</i>	related	p.	3		
604	<i>ramosa</i>	branching	b.	1½	...	6		
605	<i>cardinalis</i>	(scarlet)	gP	s.	3	...	6		
606	<i>siphilitica</i>	(large blue)	b.	2	...	6		
607	— — —	6 finest sorts	div.	div.	div.	...	2	0	
608	— — —	finest mixed	1½	...	6		
609	<i>Lopèzia coronata</i>	crown-flowered	1	...	120	hA	r.	1½	...	6		
610	<i>Lophospermum scandens**</i>	climbing	14	59	137	gS†	ro.	8	7-9	3		
611	— grandiflorum**	large-flowered	1	0	
612	— Hendersonii**	Henderson's	spot.	6		
613	— spectabilis**	showy	d.ro.	6		
614	<i>Rhodochiton**</i>	Rhodochiton	d.p.	6		
615	— — —	Nos. 610 to 614	div.	2	0	
616	— — —	fine mixed	6		
617	<i>Lötus Jacobæus</i>	St. James' Island	17	45	104	gA	d.br.	1	...	6		
618	— flavus novus	new yellow	y.	6		
619	<i>Lupinus bicolor</i>	two-coloured	16	hA	b & w	...	7-8	3		
620	<i>Hartwegii</i>	Hartweg's	1½	...	3		
621	<i>leptophyllus</i>	slender-leaved	b & c.	2	...	3		
622	<i>mexicanus</i>	Mexican	b.	3		
623	<i>Moritzianus</i>	Moritz's	d.b.	3		
624	<i>mutabilis</i>	variable	var.	2½	...	3		
625	— Cruikshanksii	Cruikshanks'	3		
626	<i>nanus*</i>	dwarf	var.b.	1	...	3		
627	<i>pulchellus</i>	pretty	b & p	2	...	3		
628	— — —	6 finest sorts	div.	div.	...	1	6	
629	— — —	fine mixed	6		
630	<i>arborescens</i>	tree-like	hS†	y.	6	...	3		
631	<i>elegans</i>	elegant	hP†	v & r	2	...	3		
632	<i>hirsutissimus</i>	most hairy	p & r	1	...	3		
633	<i>Nootkaensis</i>	Nootka Sound	b.	2	...	3		
634	<i>polyphyllus</i>	many-flowered	2½	...	3		

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
695	<i>Morina longiflora</i>		2	25	87	hhP	p.	3	6-8		6
696	<i>Moschardia pinnatifida</i>		19	53	81	hA	y.	3
697	<i>Myosotis palustris</i>		5	25	72	hP+	b&y.	1	6
698	<i>alpestris</i>		b.	...	$\frac{1}{2}$	6
699	<i>Narcissus</i>		6	...	64	hPb	w&y.	1	5-6	...	6
700	<i>Nelumbium luteum</i>		13	35	119	sP	y.	trai.	6-9	...	6
701	<i>Nemesis floribunda</i>		14	59	137	hA	w&y.	$\frac{1}{2}$	7-8	...	6
702	<i>versicolor</i>		var.	6
703	<i>Nemophila aurita</i>		5	25	99	hA	p.	1 $\frac{3}{4}$	3
704	<i>atomaria*</i>		spot.	$\frac{3}{4}$	6-8	...	3
705	<i>— caelestis*</i>		3
706	<i>discoidalis*</i>		bk & w	3
707	<i>insignis*</i>		b.	3
708	<i>— alba*</i>		w.	3
709	<i>— grandiflora*</i>		b.	3
710	<i>— punctata*</i>		spot.	3
711	<i>maculata*</i>		6
712	<i>phacelioides</i>		v.	1	3
713	<i>— — —</i>		div.	div.	...	1 6	
714	<i>— — —</i>		2 6	
715	<i>Nierembergia gracilis</i>		141	hP+	w&li	$\frac{3}{4}$	6-9	1 0	
716	<i>Nigella hispanica, fl. pl.*</i>		13	30	131	hA	b.	$\frac{1}{4}$	7-8	...	3
717	<i>Nolana atriplicifolia</i>		5	25	141	...	b.w.y	3
718	<i>paradoxa</i>		b.	3
719	<i>prostrata</i>		trai.	3
720	<i>tenella</i>		l. b.	1	3
721	<i>— — —</i>		div.	9
722	<i>Nonica rosea</i>		72	...	ro.	1 $\frac{1}{2}$	3
723	<i>Nycteria fragrans</i>		14	59	137	hP+	w.	$\frac{3}{4}$	6
724	<i>Nymphaea Lotus</i>		13	25	119	sP	pk.	trai.	6
725	<i>Oenothera acaulis</i>		8	...	120	hP+	w.	3
726	<i>concinna et densiflora</i>		hA	p&w	$\frac{1}{4}$	3
727	<i>Drummondii</i>		hP+	y.	1	6
728	<i>floribunda</i>		hA	6
729	<i>longiflora</i>		hB+	y.	2	3
730	<i>macrocarpa</i>		hP+	6
731	<i>missouriensis</i>		6
732	<i>odorata</i>		hB+	3
733	<i>rosea</i>		rp.	$\frac{3}{4}$	6-7	...	3
734	<i>Sellowii</i>		y.	1	7-8	...	3
735	<i>speciosa</i>		hA	w.	1 $\frac{1}{4}$	6
736	<i>taraxacifolia</i>		hP+	...	$\frac{1}{2}$	6
737	<i>tetraptera</i>		hA	...	1	3
738	<i>— — —</i>		A & P	div.	div.	6-8	2 0	
739	<i>— — —</i>		6
740	<i>Ononis rotundifolia</i>		16	45	104	hS	r.	3	7-8	...	6
741	<i>Oxalis rosea</i>		10	30	153	hPb	ro.	1	6-8	...	6
742	<i>Oxyura chrysanthemoides</i>		19	54	81	hA	y&w	...	7-8	...	3
743	<i>Præonia</i>		13	26	131	hPb	div.	2	6-9	...	6
744	<i>Papaver crœcum</i>		...	25	121	hP+	...	1 $\frac{1}{2}$	7-8	...	3
745	<i>orientale</i>		r.	2	3
746	<i>pulcherrimum</i>		s.	6
747	<i>spectabile</i>		cr.	3
748	<i>— — —</i>		div.	1 0	
749	<i>Paspalum elegans</i>		3	...	98	...	ap.	1 $\frac{1}{2}$	6
750	<i>Passiflora alba**</i>		16	40	122	gS	w.	15	6-9	...	6
751	<i>cærulea**</i>		hS	b.	6
752	<i>edulis**</i>		sS	w.	6
753	<i>pedata**</i>		w&g	6
754	<i>— — —</i>		div.	div.	1 6	

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.										feet		s. d.
755	Passiflora**	<i>fine mixed</i>	16	40	122	div.	div.	...	div.	15	6-9	1 0
756	Pelargonium (Geranium)	<i>finest mixed</i>	...	42	96	gS	3	...	1 0
757	— — —	<i>large packet</i>	2 6
758	coccineum	<i>scarlet</i>	s.	6
759	natum	<i>(Tom Thumb)</i>	1	...	6
760	— rosenum	<i>rose (Lucy)</i>	ro.	6
761	— — —	<i>Nos. 757 to 760</i>	div.	div.	...	3 6
762	tuberosum	<i>(mixed Cape species)</i>	1	...	1 0
763	Pentapetes phœnicea	<i>purple</i>	...	45	143	sp†	s.	2	7-8	6
764	Pentstemon digitalis	<i>Digitalis-like</i>	14	59	137	hP†	w.	3
765	atropurpureum	<i>dark purple</i>	d. p.	3
766	campanulatum	<i>campanulate</i>	b.	3
767	Chandleri	<i>Chandler's</i>	var.	6
768	gentianoides	<i>Gentian-like</i>	r.	3
769	— albiflorum	<i>white</i>	w.	6
770	— coccineum	<i>scarlet</i>	s.	6
771	— elegans	<i>elegant</i>	l. s.	6
772	Marshallii	<i>Marshall's</i>	s.	6
773	Murrayanum	<i>Murray's</i>	6
774	ovatum	<i>ovate</i>	b.	1½	3
775	pulchellum	<i>pretty, mixed</i>	div.	2	3
776	rosenum	<i>rose</i>	ro.	3
777	speciosum	<i>showy</i>	b.	6
778	— — —	<i>8 finest sorts</i>	div.	2	6
779	— — —	<i>fine mixed</i>	6
780	Persoonia latifolia	<i>broad-leaved</i>	4	25	130	gS	y.	4	6-8	6
781	Pectunia phœnicea	<i>purple</i>	5	...	141	hP†	p.	2½	6-9	3
782	— alba grandiflora	<i>large white-flowered</i>	w.	6
783	— Blockii	<i>Block's</i>	var.	3
784	— formosa	<i>beautiful</i>	d. p.	6
785	— grandiflora	<i>large-flowered</i>	p.	3
786	— mirabilis	<i>wonderful</i>	y & p	6
787	— rosea grandiflora	<i>large rose</i>	ro.	6
788	— rubra	<i>red</i>	r.	3
789	— striatiflora	<i>striped-flowered</i>	stri.	3
790	nyctaginiflora	<i>sweet-scented white</i>	w.	3
791	— — —	<i>6 finest sorts</i>	div.	2	0
792	— — —	<i>finest mixed</i>	6
793	Phacelia conspicua	<i>conspicuous</i>	99	hA	b.	...	7-8	3
794	Phacelia Caracalla**	<i>Caracalla</i>	17	45	104	gS	li.	2	6
795	Phlox Drummondii	<i>Drummond's, 20 var.</i>	5	25	125	hA	div.	1½	7-9	6
796	— alba	<i>white</i>	w.	6
797	— coccinea	<i>scarlet</i>	s.	6
798	— kermesina	<i>erimson</i>	cr.	6
799	— Leopoldiniana	<i>Leopoldina's</i>	var.	6
800	— oculata alba	<i>white-eyed</i>	div.	6
801	— — rubra	<i>red-eyed</i>	w & r	1	0
802	— rosea	<i>rose</i>	ro.	6
803	— rubro-alba	<i>red and white</i>	r & w	6
804	— — —	<i>6 fine sorts</i>	div.	2	6
805	pl. sp. perennans	<i>Perennial (50 var.)</i>	hP†	...	2	1	0
806	Phormium tenax	<i>(New Zealand Flax)</i>	6	...	105	...	w & g	6	8-10	6
807	Physolobium gracile**	<i>slender</i>	10	...	101	gS	cr.	...	6-8	6
808	Pimblea spectabilis	<i>showy</i>	2	...	144	...	w & r	...	7-8	6
809	— rosea	<i>rose-coloured</i>	ro.	6
810	Platylobium triangulare	<i>triangular</i>	16	45	104	...	o.	4	6-9	6
811	Platystemon californicum	<i>Californian</i>	13	25	121	hA	y.	½	7-8	6
812	Podolepis chrysantha*	<i>yellow-flowered</i>	19	54	81	hA	6
813	— — —	<i>3 varieties sep.*</i>	y p w	1	0
814	Podotheca capitata	<i>head-flowered</i>	y.	1½	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.											
815	Poinciàna Gilliesii	Gillies's	10	25	104	sS	y.	6	6-9	6	6
816	pulcherrima	beautiful	3col.	8	...	6	6
817	Poly gala latifolia et speciosa	showy and broad-ld.	17	43	126	gS	p.	1½	5-7	6	6
818	Pomaderris elliptica	elliptic	5	25	160	y.	y.	10	...	6	6
819	Portulaca Gilliesii	Gillies's	11	...	128	hhA	cr & w	4	7-8	6	6
820	Thellusoni	Thelluson's	s.	6	6
821	Thorburni	Thorburn's	y.	6	6
822	— striatiflora	striped-flowered	w & ro	6	6
823	splendens	splendid	ro & w	6	6
824	— — —	Nos. 819 to 823	div.	2	0
825	— — —	finest mixed	6	6
826	Potentilla formosa*	beautiful	12	35	133	hP+	p.	1	...	3	3
827	atrosanguinea*	dark red	d. r.	3	3
828	insignis	beautiful	y.	3	3
829	Mackayana*	Mackay's	y & pk	3	3
830	missourica	Missouri	y.	3	3
831	Oswaldi	Oswald's	3	3
832	Thomasi	Thomas's	y.	3	3
833	— — —	4 finest sorts	div.	1	0
834	— — —	fine mixed	6	6
835	Primula cortusoides	Cortusa-like	5	25	129	hP	p.	½	6-8	6	6
836	sinensis	Chinese	gP	ro.	1	5-7	6
837	— fimbriata	fringed lilac	1	0
838	— — alba	fringed white	w.	1	0
839	— variegata	new variegated	var.	1	0
840	— — —	Nos. 836 to 839	div.	3	0
841	— — —	finest mixed	1	0
842	Psoralea oculata	(disk-flowered)	17	45	104	gS	var.	2	7-8	6	6
843	Ramonda pyrenæica	Pyrenean	5	25	141	hhP+	...	¼	6-8	6	6
844	Ranunculus asiaticus	Asiatic (Persian)	13	35	131	hPb	div.	1	6-7	1	0
845	Renealmia corymbosa	bunch-flowered (new)	3	25	101	gP	...	2	...	1	0
846	Rhodanthé Manglésii*	Capt. Mangles's	19	54	81	hhA	ro.	1	7-8	6	6
847	Rhododendron	finest mixed	10	25	89	hS	div.	div.	5-7	6	6
848	Rosa	fine mixed	12	35	135	6	6
849	Rudbeckia amplexicaulis	stem-clasping	19	55	81	hA	y.	2	7-8	3	6
850	bicolor	two-coloured	hP+	6	6
851	formosa	beautiful	6	6
852	— — —	Nos. 849 to 851	A & P	div.	1	0
853	Salpiglossis Barclayana	Barclay's	14	59	141	hhA	y & br	1½	7-9	6	6
854	— atropurpurea	dark-purple	d. p.	6	6
855	— grandiflora	large-flowered	b.	6	6
856	— picta	painted	var.	6	6
857	— splendens	splendid	y.	6	6
858	— straminea	straw-coloured	stra.	6	6
859	— — —	Nos. 853 to 858	div.	2	6
860	— — —	splendid mixed	6	6
861	Salvia azurea	azure	2	25	103	hP+	b.	2	...	6	6
862	bicolor	two-coloured	hA	b & w	3	6
863	coccinea	scarlet	hhP+	s.	6	6
864	pätens	(splendid blue)	div.	6	6
865	Sauvitalia procumbens	procumbent	19	54	81	hhA	y.	tra	7-8	6	6
866	Saponaria calabrica*	Calabrian	10	26	140	hA	r.	½	6-9	6	6
867	Saussurea pulchella	pretty	19	53	81	hP+	p.	2	7-8	6	6
868	Schistanthe pedunculäris	pedunculated	14	59	137	hhA	r.	1	...	6	6
869	Schizanthus Grahämi	Graham's	s & o	2	...	6	6
870	— carneus	flesh-coloured	rh & o	6	6
871	retusus	retuse	r & o	3	6
872	— albus	white	w & y	6	6
873	sp. ex Chile	Chilian species	var.	6	6
874	— — —	Nos. 869 to 873	div.	2	0

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
875	Schizanthus Grahâmi, &c.	<i>fine mixed (large)</i>	14	59	137	hhA	div.	2	7-8	s. d.				6
876	— pinnatus	<i>winged</i>	hA	1 p y	1½	3
877	— porrigens	<i>spreading</i>	var.	3
878	— Priestii	<i>Priest's</i>	w.	3
879	— venustus	<i>beautiful</i>	d p y	3
880	— humilis	<i>dwarf</i>	li & cr	1	3
881	— pulchellus	<i>pretty</i>	w & p	1½	3
882	— — —	<i>Nos. 876 to 881</i>	div.	1 6
883	— — —	<i>fine mixed</i>	3
884	Schizopetalou Walkeri*	<i>Walker's</i>	15	61	84	hhA	w.	1	6
885	Scilla	<i>fine mixed</i>	6	25	105	hPh	h & w	...	5-6	6
886	Scutellaria orientâle	<i>oriental</i>	14	58	103	hP+	y.	...	7-9	6
887	— variegata	<i>variegated</i>	var.	½	7-8	6
888	Schypanthus elegans**	<i>elegant</i>	18	48	108	hhP+	y.	6	6
889	Sedum cœruleum	<i>blue</i>	10	30	83	hA	b.	½	6
890	Silene Maddonii	<i>Maddon's</i>	...	28	140	...	pk.	2	6
891	— compacta	<i>compact</i>	hB+	...	1	6-8	3
892	— fimbriata	<i>fringed</i>	w.	1½	3
893	— ornata	<i>ornamented</i>	p.	1	3
894	— pendula*	<i>pendulous</i>	hA	ro.	...	7-8	3
895	— regia	<i>regal</i>	hP+	cr.	6
896	— Shafta]	<i>Shafta</i>	hA	3
897	— speciosa	<i>showy</i>	6
898	Solanum giganteum	<i>gigantic</i>	5	25	141	gS	v.	3	6-8	6
899	Sollya heterophylla**	<i>various-leaved</i>	104	...	b.	6	6-9	6
900	Sparaxis	<i>splendid mixed</i>	3	...	101	fPh	div.	1	5-6	6
901	Sphœnogyne speciosa	<i>showy</i>	19	53	81	hhA	y.	...	7-8	3
902	— grandiflora	<i>large-flowered</i>	3
903	Stachys	<i>fine mixed</i>	14	58	103	hP+	s & p	1½	6
904	Stenactis speciosa	<i>showy</i>	19	54	81	...	p.	2	3
905	Stœvia purpurea	<i>purple</i>	...	53	1½	3
906	— serrata	<i>serrated</i>	w.	3
907	Stipa pennata	<i>(Feather Grass)</i>	3	26	98	...	ap.	2	6
908	Strelitzia angusta	<i>(splendid white)</i>	5	25	117	sPb	w.	10	5-7	1	0	6
909	Streptocarpus Rexii	<i>Rex's</i>	2	...	71	gP+	b.	½	6-8	6
910	Styphelia	<i>2 fine species</i>	5	...	88	gS	cr.	4	5-9	6
911	Sutherlandia frutescens	<i>frutescent</i>	17	45	104	hS	s.	3	7-8	3
912	— grandiflora	<i>large-flowered</i>	6
913	Swainsônia galegifolia	<i>Galega-leaved</i>	gS	r.	2	6-8	6
914	Symphiandra pendula	<i>pendulous</i>	5	25	78	hB+	w.	1½	3
915	Taesonîa pinnatistipula**	<i>pinnate-stipuled</i>	16	40	122	gS	ro.	15	6-9	6
916	Tagetes lucida	<i>shining</i>	19	54	81	gP+	y.	1	7-8	6
917	— signata	<i>distinguished</i>	hhA	...	1½	6
918	Telœkia speciosa	<i>showy</i>	hP+	...	4	3
919	Telœpea speciosissima	<i>most showy</i>	4	25	130	gT	s.	10	5-8	2	6	6
920	Tephrosia grandiflora	<i>large-flowered</i>	17	45	104	gS	pk.	4	5-9	6
921	Thunbergia alata**	<i>winged</i>	2	25	62	Gors	h & d	6	6-9	6
922	— alba**	<i>white-flowered</i>	w & d	6
923	— aurantiaca**	<i>orange</i>	o & d	6
924	— Bakeri**	<i>Baker's</i>	w.	6
925	— sulphurea**	<i>sulphur-coloured</i>	sul.	6
926	— mesoleuca**	<i>(white-eyed)</i>	o & w	6
927	— — —	<i>Nos. 921 to 926</i>	div.	2	6	6
928	— — —	<i>fine mixed</i>	6
929	Tigridia pavonia & conchiflora	<i>Tiger-flower, 2 var.</i>	16	38	101	fPh	y s o	1	8-10	6
930	— superba	<i>superb</i>	s.	6
931	Torœnia scabra	<i>(rough-leaved)</i>	14	59	137	gS	b.	...	6-7	6
932	Trachilium cœruleum	<i>blue</i>	5	25	74	hB+	...	2	7-8	3
933	Tristrœnea nerifolia	<i>Nerium-leaved</i>	18	48	116	gS	y.	6	6-9	6
934	Tropœolum brachyceras**	<i>short-horned</i>	8	25	146	gPb+	...	4	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
935	<i>Tropæolum Jarrattii**</i>	<i>Jarrell's</i>	8	25	146	gPh†	s&y.	4	7-9	6
936	<i>Lobbianum**</i>	<i>Lobb's</i>	o.	6
937	<i>Moritzianum**</i>	<i>Moritz's</i>	r&y.	6
938	<i>pentaphyllum**</i>	<i>five-leaved</i>	o&y.	6
939	<i>speciosum**</i>	<i>showy</i>	s.	6
940	<i>Smithianum**</i>	<i>Smith's</i>	hhA	7-8	1 0	...
941	<i>peregrinum**</i>	<i>(Canary Bird)</i>	y.	6
942	<i>Tweedia caribæa**</i>	<i>blue</i>	5	26	67	hhS	b.	7-9	...	6
943	<i>floribunda</i>	<i>many-flowered</i>	6
944	<i>Verbascum formosum</i>	<i>beautiful</i>	...	25	141	hP	y.	2	7-8	3
945	<i>spectabile</i>	<i>showy</i>	y&p	3
946	<i>Verbena Aubletia</i>	<i>Aublet's</i>	14	59	150	hhB†	p.	1	6-9	3
947	<i>Drummondii</i>	<i>Drummond's</i>	li.	6
948	<i>geraniæfolia</i>	<i>Geranium-leaved</i>	r.	1½	3
949	<i>pulchella</i>	<i>pretty</i>	p.	3
950	<i>pulcherrima</i>	<i>most beautiful</i>	d.r.	6
951	<i>venosa</i>	<i>veiny</i>	hhP	ro.	1	6
952	— — —	<i>Nos. 946 to 951</i>	B&P	div.	2 0	...
953	— — —	<i>finest mixed</i>	fP†	1 0	...
954	<i>Verónica Lindleyana</i>	<i>Prof. Lindley's</i>	2	25	137	gS	w.	1½	6-8	3
955	<i>speciosa</i>	<i>showy</i>	3
956	<i>Viscaria oculi-rôsa</i>	<i>Rose of Heaven</i>	10	30	140	hA	flh	1	7-8	3
957	<i>oculata</i>	<i>(dark-eyed)</i>	ro.	3
958	— <i>alba et nana</i>	<i>white and dwarf</i>	w&r	1&½	6
959	— — —	<i>Nos. 956 to 958</i>	1 0	...
960	<i>Vinca rôsa</i>	<i>rose</i>	5	25	65	sS	ro.	1	3-9	6
961	— <i>alba</i>	<i>white</i>	w.	6
962	— — —	<i>mixed</i>	w&ro	6
963	<i>Viola odorata</i>	<i>sweet-scented</i>	151	hP†	p.	...	5-7	6
964	<i>Virgilia capensis</i>	<i>Cape</i>	10	...	104	gS	p&w	4	7-9	6
965	<i>Ziëria Smithii</i>	<i>Smith's</i>	4	...	134	...	y.	3	5-7	6
966	<i>Zinnia elegans</i>	<i>elegant</i>	19	54	81	hhA	v.	2	7-9	6
967	— <i>alba</i>	<i>white</i>	w.	6
968	— <i>aurantiaca</i>	<i>orange</i>	o.	6
969	— <i>atroviolacea</i>	<i>dark violet</i>	d.v.	6
970	— <i>bicolor</i>	<i>two-coloured</i>	var.	6
971	— <i>coccinea</i>	<i>scarlet</i>	s.	6
972	— — <i>major</i>	<i>large scarlet</i>	6
973	— <i>fistulosa</i>	<i>quilled</i>	6
974	— <i>flava</i>	<i>yellow</i>	y.	6
975	— <i>kermesina</i>	<i>crimson</i>	cr.	6
976	— <i>miniata</i>	<i>carmine</i>	car.	6
977	— <i>purpurea</i>	<i>purple</i>	p.	6
978	— <i>rôsea</i>	<i>rose</i>	ro.	6
979	— <i>straminea</i>	<i>straw-coloured</i>	stra.	6
980	— — —	<i>6 finest sorts</i>	div.	2 6	...
981	— — —	<i>finest mixed</i>	6
982	<i>Zygophyllum Fabago</i>	<i>Fabago</i>	10	25	152	hP	o&w	4	7-8	6
ADDENDA.												
983	<i>Agati coccinea</i>	<i>scarlet (splendid)</i>	17	45	104	sT	s.	20	7-9	1 0
984	<i>Calliopsis bicolor nana nova</i>	<i>new dwarf</i>	19	55	81	hhA	y&r	1	...	1 0
985	<i>Cedrus Deodara</i>	<i>Deodara</i>	21	49	157	hT	ap.	100	...	1 0
986	<i>Gompholobium</i>	<i>New Holland species</i>	10	25	104	gS	y.	3	5-9	1 0
987	<i>Ipomæa polyanthos**</i>	<i>Auricula-flowered</i>	5	...	82	sS	...	15	9-1	1 0
988	<i>New Zealand Lace Bark Tree, elegant when young</i>		gS	6-8	1 0
989	<i>New Zealand Shrub from Ulladulla, very fine</i>		pk.	3	5-7	1 0
990	<i>Mixed New Holland, Cape, and other Green-house Seeds</i>		div.	div.	div.	1 0

The following plants are best known by the Popular Names, but as the Scientific Name is also necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
991	Aster, Chinese, mixed	<i>Aster chinensis, fl. pl.</i>	19	54	81	hhA	div.	1½	8-10	3
992	German, finest m.	— <i>fastuosus, &c., 20 v.</i>	6
993	— bordered	— <i>cinctus</i>	6
994	— dark blue	— <i>atro-caruleus</i>	d. b.	3
995	— light blue	— <i>late-caruleus</i>	l. b.	3
996	— dark red	— <i>atrorubens</i>	d. r.	3
997	— rose	— <i>roseus</i>	ro.	3
998	— striped	— <i>striatus</i>	div.	6
999	— Turkey	— <i>turcicus</i>	cr.	3
1000	— white	— <i>albus</i>	w.	3
1001	Anemone-flowered	— <i>anemonæflorus</i>	r.	6
1002	globe-flowered	— <i>globularis</i>	div.	6
1003	— bordered	— <i>linbatus</i>	6
1004	Perfection	— <i>pæoniæflorus</i>	1 0
1005	Parisian, new	— <i>novus</i>	6
1006	pyramidal	— <i>pyramidalis</i>	3
1007	dwarf German	— <i>nanus</i>	1	7-9	6
1008	— new Globe	— <i>globularis</i>	6
1009	12 finest sorts	— — —	1½	7-10	5 0
1010	Auricula, fine alpine*	<i>Primula Auricula</i>	5	25	129	hP	...	½	5-7	6
1011	extra fine prize	— — —	fP	2 6
1012	fine German	— — —	1 0
1013	Balsam, fine double, m.	<i>Balsamina hortensis, fl. pl.</i>	68	tA	...	2	7-9	6
1014	double carmine	— <i>miniata</i>	car.	3
1015	— pure white	— <i>nivalis</i>	w.	3
1016	— purple	— <i>purpurea</i>	p.	3
1017	— rose	— <i>rosea</i>	ro.	3
1018	— scarlet	— <i>coccinea</i>	s.	3
1019	— spotted, 6 var.	— <i>punctata</i>	div.	6
1020	— striped, 6 var.	— <i>striata</i>	6
1021	Nos. 1013 to 1020	— — —	2 6
1022	Camellia-flowd., m.	<i>Camelliæflora, fl. pl.</i>	6
1023	— crimson	— <i>kermesina</i>	cr.	3
1024	— flesh-coloured	— <i>carnea</i>	flesh.	3
1025	— flame-coloured	— <i>flammea</i>	s.	3
1026	— — striped	— <i>striata</i>	stri.	3
1027	— violet	— <i>violacea</i>	v.	3
1028	— — spotted	— <i>punctata</i>	spot.	3
1029	— — striped	— <i>striata</i>	stri.	3
1030	— white	— <i>alba</i>	w.	3
1031	Nos. 1022 to 1030	— — —	div.	2 0
1032	rose-flowered, m.	<i>roseæflora, fl. pl.</i>	6
1033	— red	— <i>rubra</i>	r.	3
1034	— rose	— <i>rosea</i>	ro.	3
1035	— violet	— <i>violacea</i>	v.	3
1036	— white	— <i>alba</i>	w.	3
1037	Nos. 1032 to 1036	— — —	div.	1 6
1038	new dwarf, 12 var.	<i>nana, fl. pl.</i>	1	...	6
1039	— purple striped	— <i>purpurea striata</i>	stri.	3
1040	— scarlet	— <i>coccinea</i>	s.	3
1041	— — striped	— <i>striata</i>	stri.	3
1042	— white	— <i>alba</i>	w.	3
1043	Nos. 1038 to 1042	— — —	div.	1 6
1044	Candytuft, fragrant*	<i>Iberis odorata</i>	15	60	84	hA	w.	...	6-9	3
1045	purple*	<i>umbellata</i>	p.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		<i>s. d.</i>
1046	Candytuft, new crim.*	<i>Ip̄eris umbel. kermesina</i>	15	60	84	hA	cr.	1	6-9	3
1047	Rocket*	— <i>coronaria</i>	w.	3
1048	rose*	— <i>rosa</i>	ro.	3
1049	white*	<i>amara</i>	w.	3
1050	4 distinct colours*	— — —	div.	...	1 0	0
1051	Canterbury Bell	<i>Campánula Medium</i>	5	25	74	hP+	p.	...	6-8	3
1052	lilac	— <i>lilacina</i>	li.	3
1053	white	— <i>alba</i>	w.	3
1054	Nos. 1051 to 1053	— — —	div.	6
1055	double purple	<i>fl. pl. purpurea</i>	p.	6
1056	— lilac	— <i>titacina</i>	li.	6
1057	— white	— <i>alba</i>	div.	6
1058	Nos. 1055 to 1057	— — —	1 0	0
1059	finest mixed	— — —	6
1060	Capsicum, 8 fine var.	<i>Capsicum annuum, &c.</i>	141	tA	w.	1½	...	6
1061	Carnation & Picotee, d.	<i>Dianthus Caryophyllus pl.</i>	10	26	140	hP	div.	2	...	1 0
1062	extra fine double	— — —	hhP	2 6
1063	Catchfly, Lobel's, 2 var.*	<i>Silene Arm̄eria</i>	hA	r & w	1	7-8	3
1064	Chrysanthemum tricol.	<i>Chrysanth. carinatum</i>	19	54	81	...	3col.	3
1065	new yellow	— <i>flavum novum</i>	y.	3
1066	yellow and white	<i>coronarium, 2 var.</i>	y & w	3
1067	Clary, red and purple	<i>Salvia Horminum, 2 var.</i>	2	25	103	...	r & p	3
1068	Cockscomb, d. crimson	<i>Celsoia cristata, nana</i>	5	...	63	tA	cr.	6
1069	dwarf yellow	— <i>lutea nana</i>	y.	6
1070	tall scarlet	— <i>coccinea major</i>	s.	1½	...	6
1071	— yellow	— <i>lutea major</i>	y.	6
1072	— mixed	— — —	div.	6
1073	Columbine, dou. m.	<i>Aquilegia vulgaris, fl. pl.</i>	13	30	131	hP+	6-7	3
1074	double blue	— <i>cœrulea</i>	b.	3
1075	— red	— <i>rubra</i>	r.	3
1076	— striped	— <i>striata</i>	stri.	3
1077	Convolvulus minor*	<i>Convolvulus tricolor</i>	5	25	82	hA	b.	1	6-9	3
1078	dark purple*	— <i>atropurpureus</i>	d. p.	3
1079	new large*	— <i>grandiflorus</i>	d. b.	3
1080	— lilac*	— <i>lilacinus</i>	li.	6
1081	— pale blue*	— <i>cœrulescens</i>	p. b.	6
1082	— striped*	— <i>striatiflorus</i>	stri.	3
1083	— violet*	— <i>violaceus</i>	v.	6
1084	two-coloured*	<i>bicolor</i>	w & y	3
1085	Nos. 1077 to 1084	— — —	div.	...	2 0	0
1086	finest new mixed	— — —	6
1087	Convolv. Major, m.**	<i>Ipomœa purpurea, pt. var.</i>	hhA	...	10	7-9	3
1088	splendid m., 20 var.**	— — —	1 0	0
1089	beautiful**	— <i>formosa</i>	dark	3
1090	cherry**	— <i>rubella</i>	l. r.	3
1091	crimson**	— <i>kermesina</i>	cr.	3
1092	dark red**	— <i>alorubens</i>	d. r.	3
1093	dark purple**	— <i>atropurpurea</i>	d. p.	3
1094	dark violet**	— <i>atroviolacea</i>	d. v.	3
1095	flesh-coloured*	— <i>carnea</i>	flesh.	3
1096	large-flowered**	— <i>grandiflora</i>	div.	3
1097	new blue**	— <i>cœrulea nova</i>	b.	3
1098	lilac and red**	— <i>titacina rubra</i>	li & r	3
1099	milk-white**	— <i>lactea</i>	w.	3
1100	mulberry**	— <i>moricator</i>	br. r.	3
1101	purple**	— <i>purpurea</i>	p.	3
1102	rose-coloured**	— <i>rosa</i>	ro.	3
1103	striped**	— <i>striata</i>	div.	3
1104	variegated**	— <i>variegata</i>	var.	3
1105	violet**	— <i>violacea</i>	v.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		<i>s. d.</i>
1106	Convolv. Major, w.**	<i>Ipomæa purpurea, alba</i>	5	25	82	hhA	w.	10	7-9	3
1107	white spotted**	— <i>alba punctata</i>	spot.	3
1108	white striped**	— <i>alba striata</i>	stri.	3
1109	Nos. 1088 to 1108**	— — —	div.	5 0
1110	10 finest sorts**	— — —	2 6
1111	Cowslip, finest mixed*	<i>Primula clatior</i>	129	hP†	...	3-6	...	3
1112	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	81	hA	b.	2	6-9	3
1113	fine mixed	— — —	div.	3
1114	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	141	tA	fr. p.	...	7-8	3
1115	white	— <i>leucocarpum</i>	fr. w.	3
1116	new striped	— <i>striatum novum</i>	stri.	6
1117	Flos Adonis	<i>Adonis autumnalis</i>	13	35	131	hA	s.	1	...	3
1118	Foxglove, 12 sp.	<i>Digitalis</i>	14	59	137	hP†	div.	1&2	7-9	6
1119	Fraxinella, white	<i>Dictamnus Fraxinella</i>	10	25	134	hP	w.	3	...	3
1120	red	— <i>ruber</i>	r.	3
1121	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	104	hB†	s.	2	7-8	3
1122	white	— <i>album</i>	w.	3
1123	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	63	tA	p.	2½	...	3
1124	4 var. separate	— — —	div.	1 0
1125	Gourd, Bottle, ext.	<i>Lagenaria vulgaris</i>	21	49	85	fA	y.	trai	7-9	6
1126	Hereules' Club	<i>clava-Herculis</i>	6
1127	Mammoth	<i>Cucurbita Pepo</i>	6
1128	orange	— <i>aurantia</i>	3
1129	pear	— <i>ovifera, var.</i>	3
1130	Turban	<i>tiariformis</i>	3
1131	8 finest varieties	— — —	2 0
1132	finest mixed	— — —	6
1133	Hawkweed, red	<i>Cræpis rubra</i>	19	53	81	hA	r.	1	7-8	3
1134	white	— <i>alba</i>	w.	3
1135	yellow	<i>Tolpis barbata</i>	y.	3
1136	silvery	— <i>argentea</i>	sil.	3
1137	Heartsease or Pansy	<i>Viola tricolor grandiflora</i>	5	25	151	hP†	div.	6-10	1 0	3
1138	Hollyhock, Antwerp	<i>Althea ficifolia</i>	16	48	112	hP	...	7	7-9	3
1139	rose-coloured	— <i>rosea</i>	r.	3
1140	12 finest varieties	— — —	div.	2 6
1141	finest mixed, 20 var.	— — —	1 0
1142	Chinese	<i>chinensis</i>	hA	v.	2	...	3
1143	purple do.	— <i>purpurea</i>	p.	3
1144	Honesty (Satin Flower)	<i>Lunaria biennis</i>	15	60	84	hB†	li & w	3	5-6	3
1145	Honeywort, 2 species	<i>Cerinthæ major et minor</i>	5	25	72	hA	y & p	2&1	7-8	3
1146	Horn Poppy, 3 var.	<i>Glaucium et Römèria</i>	13	...	121	...	div.	2	...	3
1147	Ice Plant	<i>Mesembryan. crystallinum</i>	12	27	92	hA	w.	trai	...	3
1148	Jacobaea, double mixed	<i>Senecio elegans, pl. var.</i>	19	54	81	...	div.	1½	...	3
1149	erimson	— <i>kermesina</i>	er.	3
1150	new dark grey	— <i>atro-cinerea</i>	d.y.	6
1151	mulberry	— <i>moricolor</i>	p.br.	3
1152	purple	— <i>purpurea</i>	p.	3
1153	red	— <i>rubra</i>	r.	3
1154	rose, new	— <i>rosea nova</i>	ro.	6
1155	violet	— <i>violacea</i>	v.	3
1156	white, new pure	— <i>alba nova</i>	w.	6
1157	6 finest sorts	— — —	div.	1 6
1158	Larkspur, dwarf, m.	<i>Delphinium Ajacis, hãmle</i>	13	28	131	hA	...	2	...	3
1159	dwarf, German, m.*	— <i>hãmle, pl. var.</i>	6
1160	— blue*	— <i>caeleste</i>	b.	3
1161	— hyacinth-flowd.	— <i>hyacinthiflorum</i>	div.	6
1162	— new striped*	— <i>striatum novum</i>	stri.	6
1163	— rose*	— <i>roseum</i>	ro.	3
1164	— white*	— <i>album</i>	w.	3
1165	Nos. 1158 to 1164	— — —	div.	2 0

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1166	Larkspur, tall Ger., m.	<i>Delphinium Ajacis clatior</i>	13	28	131	hA	div.	1½	7-8	6
1167	branching Ger., ex.	<i>Consolida, pl. var.</i>	2	...	6
1168	— blue	— <i>cæruleum</i>	b.	1½	...	3
1169	— rose	— <i>roseum</i>	ro.	3
1170	8 new varieties	— — —	div.	...	2	0
1171	Lavatera, red	<i>Lavatera trimestris</i>	16	48	112	...	r.	3	...	3
1172	white	— <i>alba</i>	w.	3
1173	mixed	— — —	r & w	3
1174	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	r.	tra	...	3
1175	Lupins, Dutch	<i>Lupinus canaliculatus</i>	16	45	104	...	b.	2	...	3
1176	large blue	<i>hirsutus</i>	3
1177	large rose	<i>pilosus</i>	r.	3
1178	small blue	<i>angustifolius</i>	b.	1½	...	3
1179	yellow	<i>tuteus</i>	y.	1¼	...	3
1180	straw-coloured	— <i>stramineus</i>	stra	3
1181	white	<i>albus</i>	w.	2	...	3
1182	Nos. 1175 to 1181	— — —	div.	div.	1	6
1183	fine mixed	— — —	3
1184	Marigold, French, 8 v.	<i>Tagetes patula, pl. var.</i>	19	54	81	hA	...	1½	7-9	6
1185	French, dwarf	<i>patula, nana</i>	br.	1	...	3
1186	— new very dwarf	— <i>nanissima nana</i>	½	...	6
1187	— new yellow do.	— <i>tutea nana</i>	y.	6
1188	— splendid striped	— <i>striata superba</i>	stri.	1¼	...	6
1189	— Unique	— <i>variegata</i>	y & br	3
1190	Nos. 1184 to 1189	— — —	div.	div.	2	0
1191	African, mixed	<i>erecta, pl. var.</i>	o & y	2	...	3
1192	— lemon	— <i>citrina</i>	y.	3
1193	— orange	— <i>aurantiaca</i>	o.	3
1194	— quilled, m. Ger.	— <i>fistulosa</i>	y & o	6
1195	Nos. 1191 to 1194	— — —	div.	...	1	0
1196	Marigold, Cape	<i>Catendula ptusialis</i>	...	56	...	hA	w.	1	...	3
1197	hybrid	<i>hybrida</i>	3
1198	double, mixed	<i>officinalis, fl. pl.</i>	...	57	o.	3
1199	Marvel of Peru, m.	<i>Mirabilis Jatapa, pl. var.</i>	3	25	118	hP+	div.	2	6-8	3
1200	carmine	<i>miniata</i>	car.	3
1201	— and white	— <i>alba</i>	w.	3
1202	dark scarlet	— <i>atrococcinea</i>	d. s.	3
1203	scarlet	— <i>coccinea</i>	s.	3
1204	three-coloured	— <i>tricolor</i>	3col.	3
1205	yellow and scarlet	— <i>flavo-coccinea</i>	y & s	3
1206	yellow and white	— <i>alba</i>	y & w	3
1207	white	— <i>alba</i>	w.	3
1208	sweet-scented	<i>longiflora</i>	3
1209	Nos. 1199 to 1208	— — —	div.	...	2	0
1210	12 varieties, sep.	— — —	3	0
1211	Mignonette (oz. 6d.)	<i>Roseda odorata</i>	11	28	132	hA	bff.	1	...	3
1212	Nasturtion, new dwarf	<i>Tropæolum minus</i>	8	43	146	...	s.	tra	7-9	3
1213	common dwarf	<i>dubium</i>	o.	2	...	3
1214	tall	<i>Majus</i>	s.	4	...	3
1215	— crimson	— <i>atrosanguineum</i>	cr.	3
1216	— hybrid	— <i>hybridum</i>	l. y.	3
1217	— new carmine	— <i>miniatum</i>	car.	3
1218	— Shilling's	— <i>venustum</i>	y & r	3
1219	— striped	— <i>striatum</i>	stri.	3
1220	— three-spotted	— <i>tripunctatum</i>	spot.	3
1221	Nos. 1212 to 1220	— — —	div.	...	2	0
1222	fine mixed	— — —	3
1223	Palma Christi	<i>Ricinus major</i>	21	49	91	hA	pale	6	...	3
1224	Pea, Tangier	<i>Lathyrus tingitanus</i>	17	45	104	hA	s.	4	7-8	3
1225	— striped	— <i>striatus</i>	stri.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1226	Pea, Lord Anson's	<i>Láthyru8 magellánicus</i>	17	45	104	hA	b.	6	7-8	3
1227	winged	<i>Lólu8 tetragonólobu8</i>	y.	1	...	3
1228	Nos. 1224 to 1227	— — —	div.	div.	...	1 0
1229	Pea, sweet, m. lb. 2s.	<i>Láthyru8 odorátu8, pl. var.</i>	4	...	3
1230	black	— <i>niger</i>	blk.	3
1231	painted Lady	— <i>píctu8</i>	var.	3
1232	purple	— <i>purpúreu8</i>	p.	3
1233	new large	— <i>máior</i>	3
1234	— striped	— <i>striátu8</i>	p. st.	3
1235	scarlet	— <i>coccíneu8</i>	s.	3
1236	striped	— <i>striátu8</i>	s. st.	3
1237	white	— <i>albu8</i>	w.	3
1238	Nos. 1229 to 1237	— — —	div.	1 6
1239	Persicaria, red	<i>Polygonu8 orientále</i>	8	28	127	...	r.	3
1240	white	— <i>albu8</i>	w.	3
1241	Polyanthu8, finest m.*	<i>Prímula elátior polyantha</i>	5	25	129	hP†	div.	3	5-7	6
1242	Poppy, dou., 20 var.	<i>Papáver8 somníferu8, fl. pl.</i>	13	...	121	hA	...	2	7-8	3
1243	double black	— <i>plénu8 nigrum</i>	blk.	3
1244	— Carnation	— <i>caryophyllóide8</i>	div.	3
1245	— fringed	— <i>fimbriátu8</i>	s.	3
1246	— orange	— <i>aurantiacu8</i>	o.	3
1247	— scarlet	— <i>coccíneu8</i>	s.	3
1248	— striped	— <i>striátu8</i>	stri.	3
1249	— white	— <i>albu8</i>	w.	3
1250	— new hybrid, 30 v.	— <i>hy'bridu8 novu8</i>	div.	6
1251	— Pæony-fl'd., 30 v.	— <i>pæoniflóru8</i>	6
1252	— superb, 20 var.	— <i>superbu8</i>	6
1253	— dwarf French	<i>Rhæu8, flóre-pléno</i>	3
1254	Nos. 1243 to 1253	— — —	3 0
1255	Primrose, common	<i>Prímula vulgáris</i>	5	...	129	hP†	...	3	5-7	6
1256	Prince's Feather	<i>Amaranthu8 hypochon- speció8u8 [driacu8]</i>	21	40	63	hA	p.	2	7-8	3
1257	— new Giant	— — —	3
1258	Quaking Grass	<i>Briza máxima</i>	3	26	98	...	ap.	1	...	3
1259	slender	— <i>grácili8</i>	3
1260	Rocket, purple	<i>Hesperis matronáli8</i>	15	61	84	hP†	p.	...	5-8	3
1261	sweet	— <i>tristi8</i>	w.	3
1262	Rose Champion, 2 var.	<i>Lychni8 coronária</i>	10	31	140	...	r & w	2 1/2	6-9	3
1263	Rose of Jericho	<i>Anastática hierochuntína</i>	15	61	84	hhA	w.	1/2	7-8	6
1264	Seabious, dwarf	<i>Scabí8a nána</i>	4	25	87	hA	div.	1	...	3
1265	dark purple	— <i>atropurpúrea</i>	p.	1 1/2	7-9	3
1266	splendid Germ., 20 v.	— — —	div.	6
1267	Sensitive Plant	<i>Mimó8a 8en8ítiva</i>	23	51	104	fS	pk.	2	6-9	6
1268	Stock, 10 week, m.	<i>Mathióla annua, ramó8a</i>	15	61	84	hhA	div.	1 1/4	7-9	3
1269	purple	— <i>annua ramó8a purpúrea</i>	p.	3
1270	scarlet	— <i>ramó8a coccínea</i>	s.	3
1271	white	— <i>alba</i>	w.	3
1272	intermediate	— <i>intermèdia</i>	s.	...	8-10	3
1273	pyramidal	— <i>pyramidáli8</i>	w.	...	7-9	3
1274	Nos. 1268 to 1273	— — —	div.	1 3
1275	Stock, German, dwf.*	<i>Mathióla an., densiflóra</i>	1	...	6
1276	large packet, m.*	— <i>annua densiflóra, pl. var.</i>	1 0
1277	dwarf carmine	— <i>densiflóra miniáta</i>	car.	6
1278	— apple-blossom	— <i>maliflóra</i>	p. ro.	6
1279	— crimson	— <i>kermesi8a</i>	cr.	6
1280	— dark blue	— <i>atro-cærulea</i>	d. b.	6
1281	— — carmine	— <i>atro-coccínea</i>	car.	6
1282	— — crimson	— <i>atro-kermesi8a</i>	cr.	6
1283	— — violet	— <i>violácea</i>	v.	6
1284	— light blue	— <i>late-cærulea</i>	l. b.	6
1285	— peach-blossom	— <i>persiciflóra</i>	peh.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										s. d.
1286	Stock, German, purple	<i>Mathiola an., densiflora</i>	15	61	84	hhA	p.	1	7-9	6
1287	— sulphur, new	<i>annua densiflora sulph.</i>	sul.	6
1288	— violet	— <i>violacea</i>	v.	6
1289	— white	— <i>alba</i>	w.	6
1290	Nos. 1276 to 1289	— — —	div.	5 0
1291	6 fine varieties	— — —	2 6
1292	Stock, new large-flow.	<i>annua grandiflora nòva</i>	6
1293	— carmine	— <i>grandiflora miniata</i>	car.	6
1294	— light blue	— <i>late-cærulea</i>	l. b.	6
1295	— rose	— <i>rosea</i>	ro.	6
1296	— violet	— <i>violacea</i>	v.	6
1297	— white	— <i>alba</i>	w.	6
1298	Nos. 1292 to 1297	— — —	div.	2 6
1299	Stock, Prussian, m.*	<i>annua græca</i>	3
1300	— purple	— <i>græca purpurea</i>	p.	3
1301	— rose	— <i>rosea</i>	ro.	3
1302	— scarlet	— <i>coccinea</i>	s.	3
1303	— white	— <i>alba</i>	w.	3
1304	Autumnal, m.	— <i>autumnalis</i>	div.	6
1305	Stock, Brompton, m.	<i>Mathiola simplicicaulis</i>	hbB	div.	2½	5-8	6
1306	scarlet	— <i>coccinea</i>	s.	3
1307	purple	— <i>purpurea</i>	p.	3
1308	white	— <i>alba</i>	w.	3
1309	Nos. 1305 to 1308	— — —	div.	1 0
1310	Queen, mixed	<i>incana</i>	1½	...	3
1311	— purple	— <i>purpurea</i>	p.	3
1312	— scarlet	— <i>coccinea</i>	s.	3
1313	— white	— <i>alba</i>	w.	3
1314	Imperial, m.	— <i>semperflorens, nòva</i>	hhP	div.	...	5-10	6
1315	— light blue	— <i>cælestin</i>	l. b.	6
1316	— red	— <i>rùbra</i>	r.	6
1317	— rose	— <i>rosea</i>	ro.	6
1318	— rosy caruine	— <i>roseo-miniata</i>	car.	6
1319	— violet	— <i>violacea</i>	v.	6
1320	Nos. 1314 to 1319	— — —	div.	2 6
1321	Sunflower, dou. dwarf	<i>Helianthus indicus</i>	19	55	81	hA	y.	2	7-8	3
1322	tall	<i>annuus</i>	6	...	3
1323	globe-flowered	— <i>globosus</i>	3
1324	Sweet Alyssum*	<i>Alyssum maritimum</i>	15	60	84	...	w.	½	...	3
1325	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	133	hS	pk	5	5-7	3
1326	Sweet Sultan	<i>Centaurea moschata</i>	19	55	81	hhA	p.	2	7-8	3
1327	white	— <i>alba</i>	w.	3
1328	yellow	— <i>suavcolens</i>	y.	3
1329	blush	— <i>Crocodylium</i>	bish.	3
1330	Venus' Looking Glass*	<i>Prismatocarpus Spéculum</i>	5	25	74	hA	b.	¾	...	3
1331	5 var. separate*	— — —	div.	1 0
1332	Venus' Navelwort	<i>Cynoglossum tinifolium</i>	72	...	w.	1	...	3
1333	Virginian Stock	<i>Malcòmia maritima</i>	15	61	84	...	li.	½	6-7	3
1334	white	— <i>alba</i>	w.	3
1335	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	br.	2	5-8	4
1336	yellow	— <i>flavus</i>	y.	3
1337	mixed, 20 var.	— <i>pl. var.</i>	div.	6
1338	double German, m.	— <i>flere-plèno pl. var.</i>	1 0
1339	— black brown	— <i>nigrescens</i>	d. br.	6
1340	— blue	— <i>cæruleus</i>	b.	6
1341	— mulberry	— <i>moricolor</i>	mul.	6
1342	— new hybrid	— <i>variegatus</i>	var.	6
1343	— rose-flowered	— <i>rosæflorus</i>	div.	6
1344	— violet	— <i>violaceus</i>	v.	6
1345	— yellow	— <i>flavus</i>	y.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1346	Wallf., 1335 to 1345	<i>Cheiranthus Cheiri</i> , div.	15	61	84	hS	div.	2	5-8	4 0
1347	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	141	hA	w.	2½	7-10	3
1348	Xcranthemum, dou. p.	<i>Xeranthem. annuum</i> , fl. pl.	19	54	81	...	p.	2	7-8	3
1349	double white	— <i>album plenum</i>	w.	3
1350	yellow	<i>Elichrys. sum bracteatum</i>	y.	3
1351	new white	— <i>album</i>	w.	3
1352	splendid double	— <i>flöre-pleno</i>	w&y	6
1353	Nos. 1348 to 1352	— — —	div.	1 6
1354	Zinnia, golden yellow	<i>Zinnia aurea</i>	y.	3
1355	large-flowered	<i>grandiflora</i>	s.	3
1356	red	<i>multiflora</i>	r.	3
1357	mixed	— — —	div.	3

SELECTIONS OF ANNUALS, &c. &c.

The following lists, comprising many established favourites and some of the newer Annuals, &c., will serve as a guide in the choice of large or small collections, as many of them are indispensable in every Flower Garden.

I. *Hardy Annuals*.—Assortments 35, 36, 40 or 41, 43; see page 4.—Nos. 68, 83, 93, 126, 141, 146, 173, 180, 197 to 201, 219, 238, 243, 261, 263, 385, 393, 394, 395, 399, 439 or 440, 447, 462, 484 to 486, 541, 553, 563, 568, 578, 628 or 629, 659, 661, 696, 713 or 714, 721, 735, 737, 742, 811, 862, 866, 882 or 883, 959, 1050, 1064, 1065, 1085 or 1086, 1113, 1117, 1133 to 1136, 1158, 1159 or 1165, 1166, 1167, 1171, 1182, 1211, 1221, 1222, or 1238, 1251, 1266, 1321 to 1323, 1324, 1331, 1333, 1353, &c. &c.; also the following, which may be treated as Annuals, 110, 111, 300, 331, 344, 417.

II. *Half-hardy Annuals*.—Assortments 1 to 26, 28 or 29, 32, 37, 38, 39, 42, 48 or 49; see page 4.—Nos. 72, 73, 149, 150, 151, 157, 158, 167, 180, 222, 224, 246, 247, 250 to 252, 268, 270, 281, 292, 345, 368 or 369, 473, 524 to 526, 597, 598, 608, 669, 670, 683, 701, 702, 791 or 792, 795, 804, 813, 814, 824 or 825, 846, 859 or 860, 865, 874 or 875, 884, 901, 902, 917, 940, 941, 980, 981, 984, 992 or 1009, 1088 or 1109 or 1110, 1147, 1157, 1190, 1195, 1274, 1290, 1298, 1304, 1326 to 1329; also 180, 417, 715, 791, 1013 to 1043, 1137, which may be treated as Half-hardy.

III. *Biennials and Perennials*.—Assortments 27, 30, 33 or 34, 44, 46 or 47.—Nos. 81, 96, 98, 110 or 111, 121 or 122, 132, 143, 160 or 161, 195 or 196, 214, 215, 225, 229, 245, 264, 274, 291, 297 to 300, 309 or 310, 331, 344, 354, 425, 432 or 433, 441, 472, 503, 532, 533, 555, 556, 571, 573, 600, 601, 604, 607, 637 or 638, 639, 642, 646, 694, 697, 738 or 739, 741, 748, 778 or 779, 833 or 834, 844, 863, 864, 905, 942, 953, 1058 or 1059, 1062, 1118, 1137, 1140, 1209, 1241, 1309, 1320, 1346 and 79, which are hardy.

IV. *Greenhouse Seeds*.—Assortments 17 or 18, 28 or 29, 50 or 51.—Nos. 61, 62, 63, 67, 71, 79, 80, 82, 91, 92, 124, 149, 152, 153, 155, 169, 210, 218, 227, 228, 230, 254, 282 to 284, 295, 359, 362, 375, 377, 381, 386, 418, 427, 443, 446, 463, 464, 481, 483, 496 or 497, 499, 521 or 522, 538, 549 or 550, 565, 583, 588, 592, 605, 606, 615 or 616, 617, 618, 676 or 677, 755, 761, 804, 817, 824, 840 or 841, 845, 888, 900, 908, 909, 915, 919, 927 or 928, 934 to 939, 990, 1013 or 1021, 1022 or 1031, 1032 or 1037, 1038 or 1043, 1068, 1115, 1123 or 1124, 1267; also 189, 190 and 711.

V. *Stove or Hotthouse Seeds*.—Nos. 142, 210 or 211, 253, 427, 443, 469, 700, 815, 816, 927 or 928, 962, 983, 987.

** *A few hardy Annuals, as Calliopsis, flower earlier and are more certain when treated as half-hardy*.—Balsams, Brachycome, Petunia, Phlox Drummondii, Portulaca, are also proper for the greenhouse; such will be found both in the half-hardy and greenhouse sections, II. and IV. Many Greenhouse Seeds may be raised in frames, and some Stove Seeds, raised on heat, flower well in a greenhouse.

FRUIT SEEDS.		per packet		each
No.		s. d.		s. d.
1358	Bilberry	6	fg Amaryllis falcata, <i>sickle-shaped</i>	5 0
1359	Currant, white, red & black	each 6	fg — Johnsoni, <i>Johnson's</i>	3 6
1360	Gooseberry, large red & white	6	fg — — atropurpurea, <i>dark purple</i>	4 0
1361	Grape, finest flavoured	1 0	fg — — striata, <i>striped</i>	4 0
1362	Melon, Beechwood, extra	1 0	fg — Josephiniana, <i>Josephine's</i>	12 0
1363	— Busby's fine scarlet-fleshed	1 0	fg — orientalis or multiflora	6 0
1364	— Cabul	6	fg — purpurea (<i>Fallota pur.</i>) doz. 20s.	2 0
1365	— Carter's green-fleshed	1 0	fg — — speciosa, <i>showy</i>	5 0
1366	— Cassabar, early	6	gs — reginae, <i>Queen's</i>	5 0
1367	— Clifton hybrid	1 0	gs — splendens, <i>splendid</i>	5 0
1368	— Colney Hatch, hybrid	1 0	fg — vittata, <i>ribboned</i>	2 6
1369	— Conservative	1 0	fg — species from Caffraria	5 0
1370	— Cuthill's green-flesh	6	fg — — from the Cape	5 0
1371	— early Cantaloupe	6	fg — 6 finest species for Greenhouse	25 0
1372	— Egyptian, green-fleshed	6	Anemones, 100 new var., named, for	24 0
1373	— — scarlet-fleshed	6	— 50 do. 12s., 25 do. 6s., 12	3 0
1374	— hybrid Ispahan	6	— 36 double scarlet, in 12 var.	9 0
1375	— Ispahan	6	— 24 do. blue in 6 var.	6 0
1376	— large green-fleshed	6	— double mixed, lb. 6s., single, lb.	4 0
1377	— netted Persian	6	Anemone hortensis, 25 finest var. for	7 6
1378	— Pekin, extra fine	1 0	— mixed, 2s. 6d., new hybrid, doz.	3 6
1379	— Pipe's netted green-fleshed	1 0	Crimum capense, <i>Cape</i>	1 0
1380	— scarlet-fleshed	6	fg Cyrtanthus odorus, <i>fragrant</i>	5 0
1381	— small green-fleshed	6	fg — species from Caffraria	5 0
1382	— Sirdar	6	Dahlia, pot roots, very fine doz. 18s.	
1383	— Snow's	1 0	— do. fine, doz. 12s.	
1384	— Sweet Ispahan	6	fg Ferraria undulata, <i>undulated</i>	1 0
1385	— Treuntham Hall	1 0	Gladious ramosus, <i>branch.</i> , doz. 4s.	
1386	— 6 finest sorts	5 0	— gandavensis, <i>Ghent</i> , doz. 6s.	
1387	— fine mixed	1 0	12 new Seedlings, named, doz. 18s.	
1388	Mulberry, white and black, each	6	fg Hamanthus, 4 fine species for	10 0
1389	Quince	6	Ismene Amancacs	2 0
1390	Peach, Nectarine, Apricot	each 1 0	fg Pentlandia miniata, <i>vermilion</i>	2 0
1391	Pear and Apple pips	6	Ranunculus, Persian, finest m., 100	7 0
1392	Plum, mixed, and Green-gage	6	— 300 named 60s., 100 do. for	20 0
1393	Raspberry, finest red	6	— 50 named 10s., 25 5s., 12	2 6
1394	Strawberry, red Alpine	6	— 100 in 25 var. for clumping	15 0
1395	— white Alpine	6	— 100 new Scotch in 100 var.	50 0
1396	— British Queen	6	— 50 do. 25s., 25 12s. 6d., 12	6 6
1397	— Elton Pine	6	Turban, fine mixed, 8 var.	100 7 0
1398	— old Pine	6	— Seraphique, bright yellow	7 0
1399	— finest mixed	1 0	— large white	doz. 3 6
1400	Water Melon, fine mixed	1 0	— new crimson purple	3 6
FLOWERING BULBS.			gs Strelitzia, sp. from Caffraria	each 7 6
<p><i>Explanations.</i>—fg, frame or greenhouse; gs, greenhouse or store; the others are hardy, excepting that Tuberoses require heat to start them. Tigridias, if planted before April, must be protected from frost. The best time for planting Anemones and Ranunculus is the beginning of March, but they will succeed very well if planted in May in shady situations. Dahlias should not be planted in the open ground till May.</p>			— conchiflora, <i>shell-flowered</i>	doz. 3 0
			— superba, <i>superb</i>	4 0
			Tuberoses, double mixed	4 0
			SUNDRY PLANTS.	
			Carnations, extra fine, 12 pair	20 0
<p>gs Achimenes, 12 in 3 var. doz. 2s.</p>			Chrysanthemums, doz. 9s., 12s., and	18 0
<p>gs Amaryllis alba, <i>courtly</i></p>			Fuchsias, per doz. 9s., 12s., 15s. and	24 0
<p>— Bella-donna (<i>Bella Donna Lily</i>)</p>			Geraniums, per doz. 12s., 15s., 20s. to	40 0
<p>gs — crocata grandiflora, <i>large-flowd.</i></p>			Heartsease or Pansies	per doz. 12 0
<p>— formosissima, <i>beautiful</i>, doz. 5s. 6d.</p>			Picotees, extra fine, per 12 pair	20 0
			Pinks, do. do. do.	8 0
			Roses, standard, doz. 18s., 24s. and	36 0
			— dwarf do. and dwarfs, 10s., 16s. and	18 0
			— China, &c., in pots	12s. to 18 0
			Verbenas, very fine	9s., 12s. to 18 0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note end of page 32.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green or pur., per oz.	9	3 to 5	Broccoli, Invisible per oz.	1 0
	Asparagus, Giant "	2		Knight's self-protecting "	1 0
11 to 6	Beans, <i>early sorts</i> per qt.	8		Lake's white "	1 0
	earliest dwarf Fan "	8		large Cornish "	1 6
	early Mazagan "	6		— Spring white "	1 0
	— hybrid "	8		— — purple "	1 0
	— long-pod "	6		late Cape "	1 6
	green long-pod "	6		— close-headed pur. "	1 0
	Johnson's Wonderful "	6		— white "	1 0
1 to 5	large Windsor "	6		London Particular "	1 6
	Taylor's do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Mammoth "	1 6
4 to 6	Beet, fine large red per oz.	3		new Victoria "	1 0
	new German "	4		Portsmouth "	1 0
	new black "	4		Potter's new pink "	1 0
	new crimson "	4		Snow's superb "	1 0
	turnip-rooted "	4		very late dwarf Danish "	1 0
	silver or Spinach Beet "	3		Wilcove's large white "	1 0
	white "	3		Winter Imperial "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	8 0
4 to 5	Borecole, or Kail per oz.	3		1 " 4 do. do.	4 0
	dwarf green curled "	3		$\frac{1}{2}$ " 8 do. do.	4 6
	dwarf brown "	3		$\frac{1}{2}$ " 4 do. do.	2 6
	tall green "	3	3 to 5	Brussels Sprouts per oz.	6
	Asparagus, new "	6		imported Belgian "	1 0
	Blenheim "	4	3 to 9	Cabbage, Atkins' Matchless "	6
	Buda "	3		Barnes' early "	6
	Delaware "	3		Carter's early "	1 0
	Jerusalem "	3		Carter's Matchless "	1 0
	Kuoll "	3		early Battersea "	6
	new heading "	6		— dwarf "	6
	purple "	3		— East Ham "	6
	Ragged Jack "	3		— Emperor "	6
	variegated, 3 vars. "	6		— Enfield "	6
3 to 5	Broccoli, early pur. Cape per oz.	1 0		— London Market "	6
	— white Cape "	1 0		— Nonpareil "	6
	— green "	1 0		— Paignton "	6
	— Cauliflower "	1 0		— Spotbro' "	6
	— close-headed pur. "	1 0		— Sugar-loaf "	6
	— Grange's "	1 0		— Vanack "	6
	— Malta "	1 0		— Wellington "	6
	— October "	1 0		— York "	6
	— purple "	1 0		King of the Cabbages "	6
	— sprouting "	1 0		Shilling's Queen "	6
2 to 9	— Walcheren "	1 6		large Battersea "	6
3 to 5	— white "	1 0		— Imperial "	6
	Adams' new dwarf "	1 6		— Pomeranian "	1 0
	American, extra "	1 6		— York "	6
	Brimstone "	1 0		largest Drumhead "	3
	Chappel's cream "	1 0		— flat Scotch "	3
	dwarf Russian "	1 0		1 oz. 6 finest for succession	4 0
	— Siberian "	1 0		$\frac{1}{2}$ " 6 do. do.	2 0
	Elletson's giantie "	1 6		Red, for pickling per oz.	6
	Field's new white "	1 0		Savoy, new Ulu "	1 0
	Hampton Court "	1 0		— dwarf green "	6
	Howden's superb "	1 0		— Drumhead "	6
	Impregnated wh. "	1 0		— globe "	6

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s. d.			s. d.
3 to 9	Cabbage, Savoy, yellow, per oz.	6	1 to 10	Cucumbers :	
	Braganza "	1 0		New early Prolific per pa.	1 0
	Chou de Milan, imported "	1 0		Norfolk Champion "	1 0
	Colewort (for greens) "	6		Roman Emperor "	1 0
	Cauve Tronchuda "	1 0		*Sion House "	6
	Kohl-Rabi, large purple "	4		Snow's white spine "	1 0
	Thousand-headed "	3		Victory of England, Lat. "	6
1 to 10	Carrot, early Horn per oz.	3		Walker's Prize-fighter "	6
	early scarlet frame "	3		Walker's Rambler "	1 0
3 to 5	long Surrey "	3		*Weedon's frame "	6
	— orange "	3		*Webb's Invincible "	1 0
	large Altringham "	2		6 finest varieties "	5 0
1 to 4	Cauliflower, early "	1 6		finest mixed "	1 0
and in	late "	1 6		Egg Plant "	3
August	large Asiatic "	1 6	5 to 8	Endive, green curled per oz.	6
	Radford's Giant "	1 6		white curled "	6
	Walcheren "	1 6		white curled winter "	6
	1 oz. 4 best for succession	5 0		Batavian, green "	6
	$\frac{1}{2}$ " 4 do. do.	2 6		— white "	6
4 to 6	Cardoon, Spanish per oz.	6	1 to 8	French beans, dwarf dun, p. qt.	1 0
	new large purple "	1 0		dwarf Canterbury "	1 0
3 to 5	Celery, Giant red "	4		*— dark dun "	1 0
	Giant white "	4		— early prolific "	1 0
	Cole's solid red "	6		*— Fulmer's forcing "	1 0
	Hillingdonian red "	6		*— Negro "	1 0
	Jones' Matchless "	4		— Negro Major "	1 0
	Lanc's new red "	6		— speckled "	1 0
	large-rooted Celeriac "	3		— Turkey "	1 6
	Law's white Giant "	4		tall or Scarlet Runners "	1 0
	Manchester red "	4		— Dutch Case-knife "	1 0
	Manchester white "	4		— French Haricots "	1 0
	Seymour's white "	4		— Painted Lady "	1 0
	solid red "	3		— round Turkey "	1 6
	solid white "	3		Icc plant per pa.	3
	Wheeler's pink "	3	3 to 5	Indian Corn, mixed "	3
5 to 7	Corn Salad "	3	4 to 5	40 day (Quaran(ain) "	3
	new Italian "	6		Early Sugar for boiling "	3
1 to 12	Cress, common per qt.	1 0	3 to 5	Leek, London Flag per oz.	6
	triple curled "	1 6		Musselburg "	1 0
	golden per oz.	2		new Giant "	1 0
	Normandy "	2	1 to 8	Lettuce, Cos, Ady's "	1 0
	perennial American "	3		Cos, Artichoke-leaved "	1 0
	Water-cress per pa.	6		*— Bath "	1 0
1 to 10	Cucumber, fine frame "	6		*— black-seeded Bath "	1 0
	long prickly, per oz. 1s. "	3		— blood "	1 0
	long Ridge "	3		— Brighton "	1 0
	Stockwood, extra "	6		— Cove "	1 0
	short prickly "	3		*— brown "	1 0
	white Turkey "	3		*— Egyptian "	1 0
	Prize varieties.			— Florence "	1 0
	Allen's Victory of Suffolk "	1 0		— green "	1 0
	Black Spine "	6		*— new hardy green "	1 0
	Carter's white spine "	1 0		*— — white "	1 0
	*Colney Hatch, w. s. extra "	1 0		— Nonpareil, white "	1 6
	*— new black spine "	2 6		— — green "	1 6
	*Cuthill's black spine "	6		— Paris "	1 0
	Infant "	1 0		— white "	1 0
	Manchester Prize "	6		1 oz. 6 best sorts "	6 0
	Man of Kent "	6		$\frac{1}{2}$ " 6 do. do. "	3 0
	Mills's Jewess "	6		Cabbage, white per oz.	1 0
				— Endive-leaved "	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
* Both for Autumn and Spring Sowing.	1 to 8 Lettuce, Cabbage, Asiatic p. oz.	1 0	11 to 5	Peas: Early blue, Eclipse per qt.	1 0
	— Belle et Bonne „	1 0		Fairbeard's Surprise „	1 0
	— blood-red „	1 0			
	*— brown Dutch „	1 0		11. <i>Later sorts.</i>	
	— Drumhead „	1 0	1 to 6	Marrow, Stub's e. blue „	1 0
	— Grand Admiral „	1 0		— early green „	8
	*— hardy Hammersmith „	1 0		†— dwarf white „	8
	— Imperial „	1 0		†— dwarf green „	8
	— Magnum Bonum „	1 0		— Glory of England „	8
	— Malta „	1 0		†— matchless green „	8
	— Marseilles „	1 0		†— Royal Victoria „	8
	— Mogul „	1 0		— Woodford's green „	8
	*— white „	1 0			
	*— pink-edged „	1 0		111. <i>Wrinkled Marrows.**</i>	
	*— Tennis-ball „	1 0	1 to 6	†British Queen „	1 6
	— Turkey „	1 0		†Carter's Victoria „	2 0
	*— white Winter „	1 0		†Hair's dwf. Mammoth „	2 0
	Silesian, brown „	1 0		†Knight's dwarf white „	1 0
	1 oz. 6 finest sorts	5 0		†— dwarf green „	1 0
	$\frac{3}{4}$ „ 6 do. do.	2 6		†— tall white „	1 0
4 to 5	Love apple (Tomato), red „	1 0		†— tall blue „	1 0
	yellow packet 3d. „	1 0		†Ne Plus Ultra „	1 6
3 to 6	Mallow, garnishing per pa.	3		†Waite's King of Mar. „	2 0
1 to 12	Mustard, white per qt.	1 0		†Ward's Incomparable „	1 6
3 to 6	Onion, blood-red per oz.	4			
	*Deptford per lb. 4s. „	4		IV. <i>Various Peas.</i>	
3 to 5	Globe „ 4s. „	4	1 to 6	†Bedman's Imperial „	8
	— new white „	4		Blue Prussian „	6
	James's keeping „	4		Flack's Victory „	8
8 to 9	*Lisbon „	4		Pride of Sussex „	1 0
	*new Giant „	6		Queen of the Dwarfs „	1 0
3 to 6	Pickling „	6		†Scimitar „	6
	Portugal, brown lb. 4s. „	4		Sugar, dwarf „	1 6
	— white „ 4s. „	4		Sugar, tall „	1 6
	*Reading „ 4s. „	4		10 finest for sue. 1 qt. each	12 0
	Silver-skinned „	6		10 do. do. 1 pt. „	6 0
	*Spanish, brown „ 4s. „	4		6 newest do. 1 qt. „	10 0
	*— white „ 4s. „	4		6 do. do. 1 pt. „	5 0
	*Strasburg „	4		6 dwarfest 1 qt. „	7 0
8 to 9	*Tripoli, large flat „	6		<i>The Wrinkled Marrows**</i>	
	*— round „	6		(including also <i>Champion of</i>	
2 to 6	Both for Autumn and Spring Sowing. Two-bladed early „	6		<i>England</i> .) see No. 111., form a	
	Yellow Pear „	6		<i>distinct class, and can be highly</i>	
8 to 9	* Welch „	3		<i>recommended. Carter's Vic-</i>	
	6 finest sorts, 2 oz. each	5 0		<i>toria Marrow is warranted</i>	
	6 do. do. 1 do.	2 6		<i>the largest and finest-flavoured</i>	
4 to 8	Parsley, extra curled per oz.	3		<i>of all the White Peas. † good</i>	
	Myatt's garnishing „	3		<i>for middle and late crops.</i>	
	new matchless „	6	2 to 5	Pompin, large per pa.	3
	large-rooted Hamburg „	3		Potato, early per pa. 6d. p. oz.	1 6
3 to 5	Parsnip, best large „	3		late „ 6d. „	1 6
11 to 5	Peas: 1. <i>Earliest sorts.</i>			Silver-skin „ 1s. „	3 6
	Warner's Emperor per qt.	9	1 to 12	Radish, long frame per qt.	2 0
	Prince Albert „	9		Wood's new frame „	2 0
	early frame 6d., Kent „	6		early scarlet „	2 0
	— May 6d., Warwick „	6		new London particular „	2 6
	— Charlton „	6		early short topt „	2 0
	Anvergne „	9		long Salmon „	2 0
	Bishop's new long-pod. „	1 0		white Naples „	3 0
	**Champion of Engl. „	1 6			

N.B. A quart
of Peas equal
to 2 lb.

Month. of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
1 to 12	Radish, red Turnip per qt.	s. d. 2 0	1 to 6	Mushroom Spawn per bush.	s. d. 4 0
	white Turnip " "	2 0		Potato: <i>Earliest sorts.</i>	
	mixed Turnip " "	2 0		early ash-leaved per peck	2 6
	new olive-shaped per oz.	3		early shaw " "	1 6
	Black Spanish " "	3		early golden " "	2 0
4 to 6	Rampion per pa.	3		<i>Second early.</i>	
	Rhubarb, mixed " "	6		Flour-ball " "	2 0
	Royal Albert " "	6		white-blossom " "	2 0
	Tobolsk " "	6		York Regents " "	2 0
	Victoria " "	6		Forty-fold " "	2 0
	Salsafy, root per oz.	4		Gold-finder " "	2 0
8 to 9	Scandix bulbosa, root " "	6		<i>Late sorts.</i>	
4 to 6	Scorzouera, root " "	4		Albert Kidney, extra " "	1 6
3 to 6	Sea Kail " "	6		Yorkshire red " "	1 6
	Skirret, root " "	6		Rhubarb, 3 finest sorts	4 0
	Sorrel " "	4		Sea Kail per 100	10s
2 to 6	Spinach, round per qt.	1 0		Shallots per lb.	1 0
2 to 9	prickly " "	1 0		<i>And all other Seeds and Plants for the Kitchen Garden. When sown before the usual time in Spring, a hot-bed frame is required for Carrot, Cauli- flower, Cucumber, French Beans, Lettuce, Potato, Pomp- kin, Radish, Vegetable Marrow, and a few others, except Peas and Beans.</i>	
	broad Flanders " "	1 0			
3 to 6	New Zealand per oz.	6			
2 to 5	Squash, fine mixed per pa.	3			
2 to 6	Turnip, early Dutch per oz.	3			
4 to 9	early Mousetail " "	3			
	— Six-week " "	3			
	— Snowball " "	3			
	— Nonsuch " "	3			
	— Stone or Stubble " "	3			
5 to 9	new black for stewing " "	4			
	large white " "	2		AGRICULTURAL SEEDS.	
4 to 7	yellow Maltese " "	3		<i>Prices variable.</i>	
	— Dutch " "	3		Cabbage, largest Drumhead lb.	2 6
	— Preston " "	3		— large flat Scotch " "	2 6
	— Stone " "	3		Carrot, largest white Belgian " "	1 0
5 to 7	— Swedish " "	2		— large red Altringham " "	1 6
2 to 5	— Teltau or Märksche " "	6		Clover, red " "	6
	Vegetable Marrow per pa.	3		— white " "	6
	HERBS, &c.			— Alsike hybrid " "	2 0
	<i>3d. per packet, and from 6d. to 1s. per ounce.</i>			— perennial " "	9
4 to 6	Angelica, Balm, Dill, Sweet			Grass Seeds, all sorts.	
	Basil, Bush Basil, Borage,			— best for Lawns per acre	35s
	Buglos, Burnet, Chervil, Cap-			— for permanent pasture " "	25s
	sicum, Chilis, Clary, Fennel,			— Rye Grass, Pacey's bush.	7 0
	Florence Fennel, Hyssop, La-			— — Italian " "	8 0
	vender, Sweet Marjoram, Pot			— — Perennial " "	6 0
	Marjoram, Pot Marigold,			Mangel Wurzel, long red p. lb.	9
	Green Purslain, Golden Pur-			— long yellow " "	9
	slain, Rosemary, Rue, Sage,			— Globe red " "	9
	Summer Savory, Winter Sa-			— Globe yellow " "	9
	vory, Thyme, Tobacco for fum-			Parsnip, largest field	1 0
	igating, Wormwood. Tarrag-			Sugar Beet, Silesian	1 0
	on is to be had in plants			Trefoil " "	4
	only.			Turnip, yellow Aherdeen	8
	ROOTS AND PLANTS.			— Dale's hybrid " "	8
	<i>Prices variable.</i>			— Red Round " "	6
3 to 5	Artichokes per peck	2 0		— Swedish, Lanc's " "	9
	Asparagus Plants, large, per 100	5 0		— —, Skirving's " "	9
	Garlic per lb.	1 0		— —, purple top " "	8
				— Tankard, yellow " "	9
				— —, white " "	9
				— White Globe, &c. &c. " "	6